

834



ROBERTS PRICE PILOT

Qualitybilt
WOODWORK
REGISTERED

ROBERTS SASH & DOOR CO.
908-934 WEST CULLERTON ST.
CHICAGO

ZONE 1

AUGUST, 1934

Index

	Page
ASTRAGALS.....	43
BLOCKS.....	42
BRACKETS.....	50
CABINET WORK.....	
Bathroom Cabinets.....	66-67
Breadboard.....	60
Breakfast Nooks.....	64, 65
Broom Closets.....	58
Ceiling Units.....	59
China Cases.....	68
Corner Cupboards.....	68
Counter Tops.....	60
Divider Cabinets.....	71
Flour Bin.....	60
Ironing Boards.....	62, 63
Kitchen Cabinets.....	52-57
Linen Cases.....	69
Medicine Cabinets.....	66, 67
Silver Tray.....	60
Soda Nook.....	64, 65
Telephone Cabinets.....	70, 71
Wall Cabinets.....	61
CORNER BEADS.....	39-42
COLUMNS, Exterior.....	50
DOORS.....	
Combination.....	12
Cupboard.....	19
Exterior Hardwood.....	21, 29
Exterior Fir.....	22, 23
Exterior Pine.....	20, 29
Flush Exterior.....	21
French.....	30, 31
Garage Doors.....	13
Interior Hardwood.....	17, 18
Interior Fir.....	15, 18
Interior Pine.....	14, 18
Jambs.....	42
Mirror.....	28
Screen.....	13
Store.....	29
Storm.....	See Special Folder
Extras.....	72
FRAMES, Window and Door.....	32-34
MOULDING.....	35-43, 44
ORCH WORK.....	
Brackets and Baluster Stock.....	50, 51
Columns and Newels.....	50, 51
Rail.....	51
ASH.....	
Barn.....	9
Casement.....	10
Cellar.....	7, 8
Divided Light.....	6
Hot Bed.....	11
One Light.....	6
Porch.....	11
Storm.....	2-4
Transoms.....	7
GLASS, Window.....	See Special Folder
GLASS, Door.....	13
TRIM.....	43
SLIDING.....	45
WORK.....	46, 49
SHOLDS.....	42
1 per side, Window and Door.....	43, 44
DOWNS.....	
o Light.....	2, 3
ir Light.....	4
ht Light.....	5
elve Light.....	4, 5
ided Top.....	2, 4
ras.....	72

NO 834

NOTICE

FREIGHT ALLOWED
150 Pounds or More

All Crating Charges
Eliminated Except on
**COMBINATION
DOORS**

WINDOW SCREENS
and
DOOR SCREENS

See Pages 12 and 13

PRICE PILOT

**Showing Complete
Prices of Stock**

Qualitybilt
WOODWORK
REGISTERED

**In Our Warehouse for
Immediate Shipment**

ROBERTS SASH & DOOR COMPANY
920 WEST CULLERTON STREET
CHICAGO

Copyrighted 1934, Roberts Sash & Door Co.

PHONE CANAL 3300

Windows



R-1002



R-1013



R-1016

NOTE
For price on
Glazed Storm
Sash Use Two
Light Window
List

1 3/8 Inches Thick—Divided Light Windows 3/8 Inch Bars

Size of Glass	2 Light Glazed S. S. B. R-1002	2 Light Glazed D. S. B. R-1002	2 Light Open R-1002	Top 3 Lt. Glazed S. S. B. R-1013	Top 3 Lt. Open R-1013	Top 6 Lt. Glazed S. S. B. R-1016	Top 6 Lt. Open R-1016	Size of Opening
12x16	\$1.21	\$0.80	\$1.48	\$1.11	\$1.63	\$1.22	1- 4x3- 2
18	1.3586	1.61	1.16	1.75	1.28	3- 6
20	1.3586	1.61	1.16	1.75	1.28	3-10
22	1.5092	1.75	1.22	1.90	1.34	4- 2
24	1.5092	1.75	1.22	1.90	1.34	4- 6
26	1.5795	1.82	1.25	1.96	1.35	4-10
28	1.6498	1.88	1.26	2.03	1.38	5- 2
14x16	1.3083	1.56	1.13	1.71	1.25	1- 6x3- 2
18	1.4389	1.69	1.19	1.83	1.31	3- 6
20	1.4389	1.69	1.19	1.83	1.31	3-10
22	1.6095	1.85	1.25	2.00	1.35	4- 2
24	1.6095	1.85	1.25	2.00	1.35	4- 6
26	1.6698	1.90	1.26	2.04	1.38	4-10
28	1.8899	2.11	1.29	2.25	1.41	5- 2
16x16	1.37	\$1.71	.86	1.63	1.16	1.77	1.29	1- 8x3- 2
18	1.45	1.81	.89	1.71	1.19	1.85	1.31	3- 6
20	1.54	1.96	.92	1.79	1.22	1.93	1.34	3-10
22	1.64	2.09	.95	1.88	1.25	2.03	1.35	4- 2
24	1.69	2.17	.98	1.93	1.26	2.08	1.38	4- 6
26	1.91	2.45	.99	2.14	1.29	2.28	1.41	4-10
28	2.00	2.57	1.02	2.22	1.32	2.37	1.43	5- 2
30	2.08	2.68	1.07	2.30	1.35	2.45	1.47	5- 6
18x16	1.45	1.81	.89	1.71	1.19	1.85	1.31	1-10x3- 2
18	1.55	1.98	.92	1.80	1.22	1.95	1.34	3- 6
20	1.64	2.09	.95	1.88	1.25	2.03	1.35	3-10
22	1.84	2.36	.98	2.08	1.26	2.22	1.38	4- 2
24	1.91	2.43	.99	2.14	1.29	2.28	1.41	4- 6
26	2.01	2.61	1.02	2.24	1.32	2.38	1.43	4-10
28	2.10	2.74	1.07	2.32	1.35	2.46	1.47	5- 2
30	2.25	2.93	1.08	2.46	1.38	2.61	1.49	5- 6
20x14	1.43	1.86	.89	1.69	1.11	1.83	1.31	2- 0x2-10
16	1.47	1.86	.92	1.72	1.22	1.87	1.34	3- 2
18	1.57	2.00	.95	1.82	1.25	1.96	1.35	3- 6
20	1.71	2.17	.98	1.95	1.26	2.09	1.38	3-10
22	1.91	2.43	.99	2.14	1.29	2.28	1.41	4- 2
24	1.91	2.43	1.02	2.14	1.32	2.28	1.43	4- 6
26	2.01	2.61	1.07	2.24	1.35	2.38	1.47	4-10
28	2.10	2.74	1.08	2.32	1.38	2.46	1.49	5- 2
30	2.30	3.00	1.11	2.51	1.40	2.65	1.52	5- 6
32	2.56	3.35	1.20	2.75	1.47	2.90	1.59	5-10
22x14	1.59	2.03	.95	1.83	1.25	1.98	1.35	2- 2x2-10
16	1.59	2.03	.95	1.83	1.25	1.98	1.35	3- 2
18	1.79	2.30	.98	2.03	1.26	2.17	1.38	3- 6
20	1.86	2.41	.99	2.09	1.29	2.24	1.41	3-10
22	2.05	2.64	1.02	2.27	1.32	2.41	1.43	4- 2
24	2.05	2.66	1.07	2.27	1.35	2.41	1.47	4- 6
26	2.15	2.80	1.08	2.37	1.38	2.51	1.49	4-10
28	2.29	2.99	1.11	2.49	1.41	2.64	1.52	5- 2
30	2.46	3.23	1.14	2.65	1.43	2.80	1.55	5- 6
32	2.71	3.57	1.23	2.90	1.52	3.04	1.62	5-10
24x14	1.60	2.05	.95	1.85	1.25	2.00	1.35	2- 4x2-10
16	1.59	2.03	.98	1.83	1.26	1.98	1.38	3- 2
18	1.79	2.30	.99	2.03	1.29	2.17	1.41	3- 6
20	1.86	2.41	1.02	2.09	1.32	2.24	1.43	3-10
22	2.05	2.66	1.07	2.27	1.35	2.41	1.47	4- 2
24	2.12	2.78	1.08	2.33	1.38	2.48	1.49	4- 6
26	2.15	2.80	1.11	2.37	1.41	2.51	1.52	4-10
28	2.29	2.99	1.14	2.49	1.43	2.64	1.55	5- 2
30	2.46	3.23	1.17	2.65	1.46	2.80	1.56	5- 6
32	2.82	3.69	1.26	2.99	1.53	3.14	1.65	5-10

See Page 72 for extras.

FREIGHT ALLOWED 150 pounds or more—No crating charges

Windows



R-1002



R-1013



R-1016

NOTE

For prices on
Glazed Storm
Sash use Two
Light window
List.

1 $\frac{3}{8}$ Inches Thick—Divided Light Windows $\frac{5}{8}$ Inch Bars

Size of Glass	2-Lt. Glazed S. S. B. R-1002	2-Lt. Glazed D. S. B. R-1002	2-Lt. Open R-1002	Top 3-Lt. Glazed S. S. B. R-1013	Top 3-Lt. Open R-1013	Top 6-Lt. Glazed S. S. B. R-1016	Top 6-Lt. Open R-1016	Size of Opening
24x34	\$2.99	\$3.90	\$1.29	\$3.15	\$1.56	\$3.30	\$1.68	2- 4x6- 2
36	3.21	4.22	1.32	3.36	1.59	3.51	1.71	6- 6
26x16	1.91	2.45	.99	2.14	1.29	2.28	1.41	2- 6x3- 2
18	2.00	2.59	1.02	2.22	1.32	2.37	1.43	3- 6
20	2.01	2.61	1.07	2.24	1.35	2.38	1.47	3-10
22	2.18	2.85	1.08	2.40	1.38	2.54	1.49	4- 2
24	2.18	2.85	1.11	2.40	1.41	2.54	1.52	4- 6
26	2.29	2.99	1.14	2.49	1.43	2.64	1.55	4-10
28	2.51	3.27	1.17	2.70	1.46	2.85	1.56	5- 2
30	2.71	3.56	1.20	2.90	1.47	3.04	1.59	5- 6
32	2.99	3.90	1.29	3.15	1.56	3.30	1.68	5-10
34	3.36	4.39	1.32	3.51	1.59	3.65	1.71	6- 2
27 $\frac{1}{2}$ x24	2.35	3.08	1.14	2.56	1.43	2.70	1.55	2-7 $\frac{1}{2}$ x4- 6
26	2.51	3.27	1.17	2.70	1.46	2.85	1.56	4-10
28	2.58	3.35	1.20	2.77	1.47	2.91	1.59	5- 2
30	2.71	3.54	1.23	2.90	1.52	3.04	1.62	5- 6
32	3.28	4.30	1.32	3.43	1.59	3.57	1.71	5-10
28x16	2.00	2.57	1.02	2.22	1.32	2.37	1.43	2- 8x3- 2
18	2.15	2.78	1.07	2.37	1.35	2.51	1.47	3- 6
20	2.20	2.85	1.08	2.41	1.38	2.56	1.49	3-10
24	2.35	3.08	1.14	2.56	1.43	2.70	1.55	4- 6
26	2.51	3.27	1.17	2.70	1.46	2.85	1.56	4-10
28	2.65	3.46	1.20	2.83	1.47	2.98	1.59	5- 2
30	2.71	3.54	1.23	2.90	1.52	3.04	1.62	5- 6
32	3.28	4.30	1.32	3.43	1.59	3.57	1.71	5-10
34	3.40	4.43	1.35	3.54	1.62	3.68	1.74	6- 2
36	3.69	4.87	1.38	3.81	1.65	3.96	1.77	6- 6
30x16	2.08	2.68	1.07	2.30	1.35	2.45	1.47	2-10x3- 2
18	2.25	2.93	1.08	2.46	1.38	2.61	1.49	3- 6
20	2.30	3.00	1.11	2.51	1.41	2.65	1.52	3-10
24	2.46	3.23	1.17	2.65	1.46	2.80	1.56	4- 6
26	2.71	3.56	1.20	2.90	1.47	3.04	1.59	4-10
28	2.75	3.59	1.23	2.93	1.52	3.07	1.62	5- 2
30	3.09	4.07	1.26	3.25	1.53	3.39	1.65	5- 6
32	3.40	4.43	1.35	3.54	1.62	3.68	1.74	5-10
34	3.69	4.87	1.38	3.81	1.65	3.96	1.77	6- 2
36	3.72	4.91	1.41	3.85	1.68	3.99	1.80	6- 6
32x18	2.32	3.00	1.17	2.53	1.46	2.67	1.56	3- 0x3- 6
20	2.56	3.35	1.20	2.75	1.47	2.90	1.59	3-10
24	2.88	3.76	1.26	3.06	1.53	3.20	1.65	4- 6
26	2.92	3.80	1.29	3.09	1.56	3.23	1.68	4-10
28	3.28	4.30	1.32	3.43	1.59	3.57	1.71	5- 2
30	3.40	4.43	1.35	3.54	1.62	3.68	1.74	5- 6
32	4.87	1.38	D.S.B. 5.00	1.65	D.S.B. 5.16	1.77	5-10
34	4.91	1.41	" 5.03	1.68	" 5.20	1.80	6- 2
36	5.46	1.44	" 5.56	1.71	" 5.72	1.82	6- 6
36x24	3.00	3.96	1.32	S.S.B. 3.17	1.59	S.S.B. 3.31	1.71	3- 4x4- 6
26	3.38	4.43	1.35	" 3.52	1.62	" 3.67	1.74	4-10
28	3.62	4.75	1.38	" 3.75	1.65	" 3.89	1.77	5- 2
30	3.72	4.91	1.41	" 3.85	1.68	" 3.99	1.80	5- 6
32	5.46	1.44	D.S.B. 5.56	1.71	D.S.B. 5.72	1.82	5-10
36	5.88	1.50	" 5.95	1.76	" 6.12	1.88	6- 6
40x24	4.53	1.44	" 4.67	1.71	" 4.83	1.83	3- 8x4- 6
26	4.96	1.47	" 5.09	1.74	" 5.25	1.86	4-10
28	5.53	1.50	" 5.63	1.77	" 5.79	1.89	5- 2
30	5.57	1.55	" 5.66	1.80	" 5.83	1.92	5- 6
32	5.95	1.58	" 6.03	1.83	" 6.19	1.95	5-10

See Page 72 for extras.

FREIGHT ALLOWED 150 pounds or more—No crating charges



Four-Light Check Rail Windows

1 $\frac{3}{8}$ Inches Thick

Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approximate Weights Glazed S. S. B.
10x26	\$2.20	\$1.26	2- 1x4-10	19
12x16	1.83	1.14	2- 5x3- 2	15
18	1.86	1.17	3- 6	17
20	1.86	1.22	3-10	18
22	2.10	1.25	4- 2	19
24	2.10	1.29	4- 6	20
26	2.24	1.32	4-10	21
28	2.32	1.37	5- 2	22
30	2.75	1.40	5- 6	23
32	3.04	1.52	5-10	25
34	3.16	1.55	6- 2	26
36	3.29	1.59	6- 6	27
13 $\frac{1}{4}$ x24	2.32	1.34	2-7 $\frac{1}{2}$ x4- 6	21
28	2.76	1.43	5- 2	24
30	3.02	1.41	5- 6	25
32	3.21	1.58	5-10	29
14x20	2.22	1.26	2- 9x3-10	20
22	2.41	1.31	4- 2	22
24	2.42	1.34	4- 6	23
26	2.51	1.38	4-10	24
28	2.80	1.43	5- 2	25
30	3.02	1.46	5- 6	27
32	3.21	1.58	5-10	29
34	3.52	1.61	6- 2	31
36	3.69	1.65	6- 6	32
15x32	3.52	1.59	2-11x5-10	31


Twelve-Light Windows

(For Two Light Opening)

Top and Bottom Each Divided Six Lights.

1 $\frac{3}{8}$ Inches Thick— $\frac{1}{8}$ -Inch Bars.

R-1012A



R-1012A

Size of Glass	Glazed S. S. B.	Open	Size of Opening
20x20	\$3.10	\$1.93	2- 0x3-10
24	3.32	1.98	4- 6
26	3.43	2.01	4-10
28	3.53	2.04	5- 2
22x20	3.26	1.95	2- 2x3-10
24	3.47	2.01	4- 6
26	3.59	2.04	4-10
28	3.74	2.05	5- 2
24x20	3.26	1.98	2- 4x3-10
24	3.55	2.04	4- 6
26	3.59	2.05	4-10
28	3.74	2.08	5- 2
26x20	3.43	2.01	2- 6x3-10
24	3.63	2.05	4- 6
26	3.74	2.08	4-10
28	3.99	2.10	5- 2

See Page 72 for extras.

FREIGHT ALLOWED 150 pounds or more—No crating charges

Eight-Light Plain Rail Windows

1 1/8 Inches Thick



Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approximate Weights Glazed S. S. B.
8x10	\$1.50	\$1.01	1- 8 1/2 x 3-10	10
12	1.72	1.07	4- 6	12
9x12	1.72	1.10	1-10 1/2 x 4- 6	14
10x12	1.82	1.13	2- 0 1/2 x 4- 6	15

Eight-Light Check Rail Windows

1 3/8 Inches Thick

Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approximate Weights Glazed S. S. B.
8x10	\$1.71	\$1.17	1- 9x3-10	13
10x12	1.97	1.31	2- 1x4- 6	18
14	2.24	1.38	5- 2	19
12x14	2.47	1.45	2- 5x5- 2	23
16	2.87	1.59	5-10	24
14x16	3.14	1.68	2- 9x5-10	28
18	3.36	1.74	6- 6	31

Twelve-Light Plain Rail Windows

1 1/8 Inches Thick



Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approximate Weights Glazed S. S. B.
7x 9	\$1.76	\$1.10	2- 1x3- 6	15
8x10	1.87	1.17	2- 4x3-10	17
12	2.17	1.23	4- 6	18
9x12	2.22	1.28	2- 7x4- 6	20
10x12	2.32	1.31	2-10x4- 6	21
14	2.67	1.37	5- 2	23

Twelve-Light Check Rail Windows

1 3/8 Inches Thick

Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approximate Weights Glazed S. S. B.
8x10	\$2.04	\$1.38	2- 4 1/2 x 3-10	19
12	2.27	1.46	4- 6	20
9x12	2.42	1.52	2- 7 1/2 x 4- 6	22
14	2.72	1.59	5- 2	24
10x12	2.51	1.56	2-10 1/2 x 4- 6	23
14	2.78	1.64	5- 2	26

FREIGHT ALLOWED 150 pounds or more—No crating charges



One-Light Sash

Three-Light Sash



1 3/8 Inches Thick

Size of Glass	1-Light Glazed S. S. B.	1-Light Open	3-Light Glazed S. S. B.	3-Light Open	Size of Opening
16x16	\$0.75	\$0.51	\$1.05	\$0.83	1- 8x1- 9
18	.78	.53	1.08	.84	1-11
20	.78	.54	1.08	.86	2- 1
24	.90	.56	1.19	.87	2- 5
18x18	.84	.54	1.13	.86	1-10x1-11
20	.87	.56	1.16	.87	2- 1
24	.97	.57	1.26	.89	2- 5
26	1.08	.59	1.35	.90	2- 7
28	1.13	.60	1.40	.92	2- 9
30	1.16	.60	1.43	.92	2-11
32	1.19	.63	1.46	.95	3- 1
36	1.33	.66	1.59	.98	3- 5
20x16	.84	.54	1.13	.86	2- 0x1- 9
18	.87	.56	1.16	.87	1-11
20	.89	.57	1.17	.89	2- 1
24	.97	.57	1.26	.90	2- 5
26	1.13	.60	1.40	.92	2- 7
28	1.16	.60	1.43	.92	2- 9
30	1.19	.62	1.46	.93	2-11
32	1.31	.65	1.58	.96	3- 1
36	1.43	.68	1.69	.99	3- 5
24x16	.90	.56	1.19	.87	2- 4x1- 9
18	.97	.57	1.26	.89	1-11
20	.97	.59	1.26	.90	2- 1
24	1.09	.60	1.37	.92	2- 5
26	1.21	.60	1.48	.92	2- 7
28	1.23	.62	1.50	.93	2- 9
30	1.31	.63	1.58	.95	2-11
32	1.52	.69	1.77	.99	3- 1
36	1.64	.71	1.88	1.02	3- 5
26x20	1.13	.60	1.40	.92	2- 6x2- 1
24	1.21	.62	1.48	.93	2- 5
26	1.30	.63	1.56	.95	2- 7
28	1.40	.65	1.66	.96	2- 9
30	1.48	.66	1.74	.98	2-11
32	1.54	.71	1.79	1.02	3- 1
36	1.74	.74	1.98	1.04	3- 5
28x16	1.04	.57	1.32	.89	2- 8x1- 9
18	1.13	.59	1.40	.90	1-11
20	1.16	.60	1.43	.92	2- 1
24	1.30	.63	1.56	.95	2- 5
28	1.48	.66	1.74	.98	2- 9
30	1.50	.68	1.75	.98	2-11
32	1.72	.72	1.96	1.02	3- 1
36	1.89	.75	2.12	1.07	3- 5
30x16	1.08	.59	1.35	.90	2-10x1- 9
18	1.16	.60	1.43	.92	1-11
20	1.19	.62	1.46	.93	2- 1
24	1.38	.65	1.64	.96	2- 5
26	1.50	.66	1.75	.98	2- 7
28	1.50	.68	1.75	.99	2- 9
30	1.69	.69	1.93	.99	2-11
32	1.74	.74	1.98	1.05	3- 1
36	1.91	.77	2.14	1.07	3- 5
36x16	1.25	.68	1.51	.99	3- 4x1- 9
18	1.35	.69	1.61	1.01	1-11
20	1.45	.71	1.71	1.02	2- 1
24	1.66	.74	1.90	1.04	2- 5
26	1.74	.75	1.98	1.05	2- 7
28	1.89	.77	2.12	1.07	2- 9
30	1.91	.78	2.14	1.08	2-11
36	D. S. B. 3.03	.83	3.42	1.13	3- 5
40x16	1.83	.75	2.11	1.05	3- 8x1- 9
18	1.92	.77	2.20	1.07	1-11
20	2.05	.77	2.33	1.08	2- 1
40x24	2.34	.81	2.60	1.11	3- 8x2- 5
28	2.83	.84	3.07	1.14	2- 9
30	2.85	.86	3.08	1.16	2-11
36	3.48	.90	3.68	1.20	3- 5

FREIGHT ALLOWED 150 pounds or more—No crating charges

One-Light Transoms


1 $\frac{3}{8}$ and 1 $\frac{3}{4}$ Inches Thick



Size of Opening	Size of Glass	1 $\frac{3}{8}$ " Glazed S. S. B.	1 $\frac{3}{8}$ " Open	1 $\frac{3}{4}$ " Glazed S. S. B.	1 $\frac{3}{4}$ " Open
2- 8x1- 0	28x 8	\$0.72	\$0.45
1- 2	10	.73	.47
1- 4	12	.80	.48
1- 6	14	.92	.50
1- 8	16	.99	.51
2-10x1- 0	30x 8	.75	.47	\$0.97	\$0.66
1- 2	10	.77	.48	.99	.68
1- 4	12	.89	.50	1.13	.69
3- 0x1- 0	32x 8	.82	.51	1.06	.72
1- 2	10	.87	.53	1.11	.74
1- 4	12	.94	.53
1- 6	14	1.02	.54
1- 8	16	1.09	.56
2- 0	20	1.26	.60

Two-Light Cellar Sash

1 $\frac{3}{8}$ Inches Thick



Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approximate Weights Glazed S. S. B.
10x12	\$0.78	\$0.53	2- 1x1- 5	6
14	.83	.54	1- 7	6
16	.93	.57	1- 9	6
20	1.06	.60	2- 1	8
12x12	.83	.56	2- 5x1- 5	8
14	.91	.59	1- 7	8
16	.94	.60	1- 9	8
18	1.04	.62	1-11	9
20	1.06	.63	2- 1	9
24	1.19	.68	2- 5	11
14x14	1.02	.62	2- 9x1- 7	8
16	1.04	.63	1- 9	8
18	1.13	.66	1-11	8
20	1.19	.68	2- 1	11
24	1.37	.71	2- 5	12
28	1.70	.75	2- 9	13

FREIGHT ALLOWED 150 pounds or more—No crating charges

Three-Light Cellar Sash

1 1/8 Inches Thick



Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approx. Weights Glazed
7x 9	\$0.67	\$0.49	2- 1x1- 2	6
8x10	.69	.50	2- 4x1- 3	6
14	.85	.53	1- 7	6
9x12	.78	.53	2- 7x1- 5	7
14	.85	.56	1- 7	8
10x12	.83	.56	2-10x1- 5	8
14	.89	.57	1- 7	8
16	.98	.59	1- 9	8
12x16	1.17	.66	3- 4x1- 9	10

Three-Light Cellar Sash

1 3/8 Inches Thick

Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approx. Weights Glazed
7x 9	\$0.76	\$0.54	2- 1x1- 2	7
8x10	.76	.56	2- 4x1- 3	7
12	.87	.59	1- 5	7
9x12	.87	.60	2- 7x1- 5	8
14	.94	.62	1- 7	9
16	.96	.65	1- 9	9
10x12	.89	.63	2-10x1- 5	9
14	.96	.65	1- 7	9
16	1.06	.68	1- 9	9
18	1.19	.69	1-11	10
24	1.52	.75	2- 5	11
12x14	1.20	.74	3- 4x1- 7	11
16	1.24	.75	1- 9	11
18	1.43	.77	1-11	11
20	1.67	.79	2- 1	12

FREIGHT ALLOWED 150 pounds or more—No crating charges

Four-Light Barn Sash

1 $\frac{1}{8}$ Inches Thick



Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approx. Weights Glazed S. S. B.
8x10 12	\$0.80 .91	\$0.54 .57	1- 8x2- 1 2- 5	6 9
9x12 14 16	.91 1.00 1.19	.59 .62 .68	1-10x2- 5 2- 9 3- 1	9 10 10
10x10 12 14 16	.94 .94 1.04 1.24	.57 .60 .63 .69	2- 0x2- 1 2- 5 2- 9 3- 1	9 9 10 10
12x12 14 16	1.09 1.22 1.37	.63 .66 .72	2- 4x2- 5 2- 9 3- 1	12 13 14

1 $\frac{3}{8}$ Inches Thick

Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approx. Weights Glazed S. S. B.
8x10	\$0.87	\$0.60	1- 8x2- 1	7
9x12	1.02	.67	1-10x2- 5	9
10x12 14	1.04 1.15	.69 .71	2- 0x2- 5 2- 9	10 11
12x14 16	1.35 1.50	.75 .83	2- 4x2- 9 3- 1	14 16

Six-Light Barn Sash

1 $\frac{1}{8}$ Inches Thick



Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approx. Weights Glazed S. S. B.
7x 9 8x10 9x12	\$0.98 1.04 1.24	\$0.63 .66 .71	2- 1x1-11 2- 4x2- 1 2- 7x2- 5	8 9 10
10x12 14	1.26 1.52	.74 .77	2-10x2- 5 2- 9	11 12

1 $\frac{3}{8}$ Inches Thick

Size of Glass	Glazed S. S. B.	Open	Size of Opening	Approx. Weights Glazed S. S. B.
8x10	\$1.17	\$0.74	2- 4x2- 1	10
10x12 14	1.37 1.63	.84 .87	2-10x2- 5 2- 9	12 13

FREIGHT ALLOWED 150 pounds or more—No crating charges

Eight-Light Casement Sash

R-1108
1 $\frac{3}{8}$ Inches Thick

R-1108

Glass Size	Glazed S. S. B.	Open	Size of Opening
8x10	\$1.69	\$1.22	1- 8 $\frac{1}{4}$ x3- 9 $\frac{3}{4}$
9x12	1.89	1.29	1-10 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
10x12	1.98	1.29	2- 0 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
10x14	2.15	1.35	2- 0 $\frac{1}{4}$ x5- 1 $\frac{3}{4}$

For pair rabbeted together, double price of single sash and add 21 cents.

One pair 8x10 makes Opg. 3-4 wide.

One pair 9x12 makes Opg. 3-8 wide.

One pair 10x12 makes Opg. 4-0 wide.

One pair 10x14 makes Opg. 4-0 wide.

Six-Light Casement Sash


R-1116
1 $\frac{3}{8}$ Inches Thick

R-1116

Glass Size	Glazed S. S. B.	Open	Size of Opening
8x10	\$1.35	\$0.98	1- 8 $\frac{1}{4}$ x2-11 $\frac{1}{2}$
9x12	1.52	1.04	1-10 $\frac{1}{4}$ x3- 5 $\frac{1}{2}$
10x12	1.59	1.05	2- 0 $\frac{1}{4}$ x3- 5 $\frac{1}{2}$
10x14	1.74	1.13	2- 0 $\frac{1}{4}$ x3-11 $\frac{1}{2}$

When rabbeted together in pairs, width of opening and extra is same as for R-1108.

Nine-Light Casement Sash

R-1239
1 $\frac{3}{8}$ Inches Thick

R-1239

Glass Size	Glazed S. S. B.	Open	Size of Opening
8x10	\$1.54	\$0.95	2- 4x2-11 $\frac{1}{2}$
9x12	1.83	1.08	2- 7x3- 5 $\frac{1}{2}$
10x12	1.93	1.11	2-10x3- 5 $\frac{1}{2}$

FREIGHT ALLOWED 150 pounds or more—No crating charges

Porch Enclosure Sash

R-1120
1 $\frac{3}{8}$ Inches Thick

Size of Opening	Height Top Lt.	Glazed S. S. B.
1- 8 $\frac{1}{4}$ x2-11 $\frac{1}{2}$	10"	\$1.48
2- 0 x4- 0	16"	2.07
2- 4 x4- 0	16"	2.22
1- 8 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$	16"	1.83
1-10 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$	16"	2.07
2- 0 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$	16"	2.07
2- 2 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$	16"	2.22
2- 4 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$	16"	2.30
2- 6 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$	16"	2.37
2- 8 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$	16"	2.56
1- 8 $\frac{1}{4}$ x5- 1 $\frac{3}{4}$	16"	2.17
1-10 $\frac{1}{4}$ x5- 1 $\frac{3}{4}$	16"	2.28
2- 0 $\frac{1}{4}$ x5- 1 $\frac{3}{4}$	16"	2.28
2- 2 $\frac{1}{4}$ x5- 1 $\frac{3}{4}$	16"	2.48
2- 4 $\frac{1}{4}$ x5- 1 $\frac{3}{4}$	16"	2.48
2- 6 $\frac{1}{4}$ x5- 1 $\frac{3}{4}$	16"	2.72
2- 8 $\frac{1}{4}$ x5- 1 $\frac{3}{4}$	16"	2.87


R-1120

Nine-Light Porch or Casement Sash


R-1119
1 $\frac{3}{8}$ Inches Thick

Size of Opening	Glazed S. S. B.
1- 8 $\frac{1}{4}$ x4-5 $\frac{3}{4}$	\$2.03
1-10 $\frac{1}{4}$ x4-5 $\frac{3}{4}$	2.25
2- 0 $\frac{1}{4}$ x4-5 $\frac{3}{4}$	2.34
2- 2 $\frac{1}{4}$ x4-5 $\frac{3}{4}$	2.51
2- 4 $\frac{1}{4}$ x4-5 $\frac{3}{4}$	2.54
2- 6 $\frac{1}{4}$ x4-5 $\frac{3}{4}$	2.68
1- 8 $\frac{1}{4}$ x5-1 $\frac{3}{4}$	2.34
1-10 $\frac{1}{4}$ x5-1 $\frac{3}{4}$	2.44
2- 0 $\frac{1}{4}$ x5-1 $\frac{3}{4}$	2.58
2- 2 $\frac{1}{4}$ x5-1 $\frac{3}{4}$	2.75
2- 4 $\frac{1}{4}$ x5-1 $\frac{3}{4}$	2.82
2- 6 $\frac{1}{4}$ x5-1 $\frac{3}{4}$	3.00


R-1119

Crated 12 to bundle

Hot Bed Sash White Pine Hardwood Cross Bar

1 $\frac{3}{8}$ Inches Thick


Size of Opening	Glazed S. S. B.	Open	Width of Glass	Rows of Glass	Approx. Weight Glazed
3- 0x6- 0	\$4.57	\$2.51	7	4	34

Crated 6 to bundle

FREIGHT ALLOWED 150 pounds or more—No crating charges

Combination Doors

Prices are complete, Glazed S. S. B. and Wired
14-Mesh Galvanized Wire. Thickness $1\frac{1}{8}$ "

CHICAGO R-766

Stock Sizes	Not Crated	Crated 6 to Bundle	Crated 3 to Bundle	Crated 1 to Bundle
2- $8\frac{1}{2}$ x6-9	\$6.30	\$6.63	\$6.81	\$7.64
2- $10\frac{1}{2}$ x6-9	6.70	7.05	7.23	8.12
3- $0\frac{1}{2}$ x6-9	6.84	7.20	7.38	8.28
2- $10\frac{1}{2}$ x6-11	6.74	7.08	7.26	8.15
2- $8\frac{1}{2}$ x7-1	6.67	7.02	7.20	8.09
2- $10\frac{1}{2}$ x7-1	6.84	7.20	7.38	8.28
3- $0\frac{1}{2}$ x7-1	6.99	7.35	7.55	8.46

CATALINA R-758

Stock Sizes	Not Crated	Crated 6 to Bundle	Crated 3 to Bundle	Crated 1 to Bundle
2- $6\frac{1}{2}$ x6-7	\$6.46	\$6.78	\$6.96	\$7.77
2- $6\frac{1}{2}$ x6-9	6.50	6.81	6.99	7.80
2- $8\frac{1}{2}$ x6-9	6.50	6.81	6.99	7.80
2- $10\frac{1}{2}$ x6-9	6.92	7.26	7.44	8.30
3- $0\frac{1}{2}$ x6-9	7.07	7.41	7.59	8.48
2- $10\frac{1}{2}$ x6-11	6.95	7.29	7.47	8.34
2- $8\frac{1}{2}$ x7-1	6.89	7.23	7.40	8.27
2- $10\frac{1}{2}$ x7-1	7.07	7.41	7.59	8.48
3- $0\frac{1}{2}$ x7-1	7.20	7.58	7.76	8.67

BRIGHTON R-752

Stock Sizes	Not Crated	Crated 6 to Bundle	Crated 3 to Bundle	Crated 1 to Bundle
2- $8\frac{1}{2}$ x6-9	\$6.93	\$7.28	\$7.44	\$8.30
2- $10\frac{1}{2}$ x6-9	7.37	7.73	7.91	8.81
3- $0\frac{1}{2}$ x6-9	7.52	7.88	8.06	8.99
2- $10\frac{1}{2}$ x6-11	7.40	7.76	7.94	8.85
2- $8\frac{1}{2}$ x7-1	7.34	7.70	7.88	8.78
2- $10\frac{1}{2}$ x7-1	7.52	7.88	8.06	8.99
3- $0\frac{1}{2}$ x7-1	7.67	8.04	8.22	9.18

MACKINAC R-750

Stock Sizes	Not Crated	Crated 6 to Bundle	Crated 3 to Bundle	Crated 1 to Bundle
2- $6\frac{1}{2}$ x6-7	\$6.98	\$7.32	\$7.49	\$8.33
2- $6\frac{1}{2}$ x6-9	6.98	7.32	7.49	8.33
2- $8\frac{1}{2}$ x6-9	7.01	7.35	7.52	8.36
2- $10\frac{1}{2}$ x6-9	7.44	7.80	7.98	8.88
3- $0\frac{1}{2}$ x6-9	7.61	7.97	8.15	9.06
2- $10\frac{1}{2}$ x6-11	7.47	7.83	8.01	8.91
2- $8\frac{1}{2}$ x7-1	7.41	7.77	7.95	8.85
2- $10\frac{1}{2}$ x7-1	7.61	7.97	8.15	9.06
3- $0\frac{1}{2}$ x7-1	7.76	8.13	8.33	9.26

Circle Top Combination Doors

No. 1 Quality

R-749 STORMKING

Prices are complete, Glazed and Wired
14-Mesh Galvanized Wire. Thickness $1\frac{1}{8}$ "

Stock Sizes	Not Crated	Crated 6 to Bundle	Crated 3 to Bundle	Crated 1 to Bundle
3- $0\frac{1}{2}$ x6-9	\$15.32	\$15.66	\$15.84	\$16.73
3- $0\frac{1}{2}$ x7-1	15.45	15.83	16.01	16.92

R-749

FREIGHT ALLOWED 150 pounds or more



**Standard
R-700
PAINTED BLACK**

Pine Screen Doors

Standard		Boston	
Lots of 3	Lots of 6	Lots of 3	Lots of 6
\$3.33	\$3.11	\$3.87	\$3.68
3.43	3.24	4.03	3.81
3.43	3.24	4.03	3.81
3.60	3.41	4.19	4.00
3.65	3.43	4.22	4.03
3.60	3.41	4.19	4.00
3.51	3.33	4.11	3.89
3.65	3.43	4.22	4.03
3.73	3.54	4.35	4.14

Standard 12 Mesh — Black Wire — Painted Black

Boston 14 Mesh — Galvanized Wire — Varnished

For price on doors less than 3 use three price and add for bundling 80c net when crated.



**Boston
R-705
VARNISHED**

Garage Doors

Vertical Grain Douglas Fir



**R-855
Pairs**



**R-860
3 to Set**

R-855 Open	R-855 Glazed S. S. B.	Stock Sizes	R-860 Open	R-860 Glazed S. S. B.
\$16.05	\$18.00	7-6x7-0x1 3/4	\$17.16	\$19.11
16.05	18.00	7-6x7-6x1 3/4	17.16	19.11
16.05	18.00	8-0x7-0x1 3/4	17.16	19.11
16.05	18.00	8-0x7-6x1 3/4	17.16	19.11
16.05	18.00	8-0x8-0x1 3/4	17.16	19.11

GARAGE DOORS—ALL PANELLED


R-865—Pairs 8-0x7-6x1 3/4 . . . \$17.16

R-870—Sets 8-0x7-6x1 3/4 . . . \$18.27

R-865—Pairs 8-0x8-0x1 3/4 . . . 17.16

R-870—Sets 8-0x8-0x1 3/4 . . . 18.27

FREIGHT ALLOWED 150 pounds or more



Pine Doors

Four- and Five-Panel Raised Panels

Cove and Bead Sticking



Stock Sizes	Thickness	4-Panel No. 1	5-Panel No. 1	Weights
2- 0x6-0	1 3/8"	\$3.81	\$3.81	28
2- 6x6-0	1 3/8"	4.40	32
2- 0x6-6	1 3/8"	4.00	4.00	33
2- 2x6-6	1 3/8"	4.40	4.40	33
2- 4x6-6	1 3/8"	4.40	4.40	34
2- 6x6-6	1 3/8"	4.62	4.62	35
2- 0x6-8	1 3/8"	4.06	4.06	35
2- 2x6-8	1 3/8"	4.40	4.40	36
2- 4x6-8	1 3/8"	4.49	4.49	37
2- 6x6-8	1 3/8"	4.68	4.68	37
2- 8x6-8	1 3/8"	4.90	4.90	37
2- 0x7-0	1 3/8"	4.40	4.40	36
2- 2x7-0	1 3/8"	4.84	4.84	36
2- 4x7-0	1 3/8"	4.84	4.84	37
2- 6x7-0	1 3/8"	5.05	5.05	40
2- 8x7-0	1 3/8"	5.27	5.27	40
2-10x7-0	1 3/8"	5.49	5.49	43
3- 0x7-0	1 3/8"	5.74	5.74	45
2- 6x6-6	1 3/4"	6.23	42
2- 8x6-8	1 3/4"	6.66	6.66	46
2- 6x7-0	1 3/4"	6.86	6.86	46
2- 8x7-0	1 3/4"	7.16	7.16	48
2-10x7-0	1 3/4"	7.46	7.46	52
3- 0x7-0	1 3/4"	7.76	7.76	55



R-467

"Colonial" Interior Doors

Cove and Bead Sticking

R-467 Solid Raised Panels No. 1 Pine

LAYOUT

Stiles—4 1/4" Face
Top Rail—4 1/4" Face
Bottom Rail—9 1/8" Face

Size	Thickness	Price
2-0x6-6	1 3/8"	\$4.26
2-4x6-6	1 3/8"	4.65
2-6x6-6	1 3/8"	4.87
2-0x6-8	1 3/8"	4.32
2-4x6-8	1 3/8"	4.74
2-6x6-8	1 3/8"	4.93
2-8x6-8	1 3/8"	5.14

FREIGHT ALLOWED 150 pounds or more—No crating charges

Pine Doors

Five-Cross Panel
Cove and Bead Sticking
Raised Panels



Fir Doors

**Solid Edge Grain Stiles
and Rails**

Five-Cross Panel
Bead and Cove Sticking
Raised Panels

Stock Sizes	Thickness	No. 1 Pine	No. 2 Pine	No. 1 Fir	No. 2 Fir	Weights
2- 0x6- 0	1 1/8"	\$3.25	23
2- 0x6- 0	1 3/8"	3.57	\$3.39	\$3.21	29
2- 4x6- 0	1 3/8"	4.07	34
2- 6x6- 0	1 3/8"	4.12	35
2- 8x6- 0	1 3/8"	4.30	36
2-10x6- 0	1 3/8"	4.32	39
3- 0x6- 0	1 3/8"	4.32	41
2- 4x6- 4	1 3/8"	4.07	35
2- 0x6- 6	1 3/8"	3.74	3.56	3.38	34
2- 2x6- 6	1 3/8"	4.12	35
2- 4x6- 6	1 3/8"	4.12	3.71	35
2- 6x6- 6	1 3/8"	4.33	4.11	3.90	\$3.75	36
2- 8x6- 6	1 3/8"	4.50	4.28	38
3- 0x6- 6	1 3/8"	4.88	39
2- 0x6- 8	1 3/8"	3.80	3.42	36
2- 2x6- 8	1 3/8"	4.21	38
2- 4x6- 8	1 3/8"	4.21	4.00	3.80	38
2- 6x6- 8	1 3/8"	4.39	4.17	3.95	3.81	38
2- 8x6- 8	1 3/8"	4.59	4.36	4.14	3.98	38
2-10x6- 8	1 3/8"	4.77	4.53	41
3- 0x6- 8	1 3/8"	4.97	45
2-10x6-10	1 3/8"	5.09	41
2- 0x7- 0	1 3/8"	4.12	37
2- 2x7- 0	1 3/8"	4.53	38
2- 4x7- 0	1 3/8"	4.53	38
2- 6x7- 0	1 3/8"	4.74	41
2- 8x7- 0	1 3/8"	4.94	41
2-10x7- 0	1 3/8"	5.15	44
3- 0x7- 0	1 3/8"	5.38	4.85	46
2- 8x6- 0	1 3/4"	5.87	47
2-10x6- 0	1 3/4"	6.52	49
3- 0x6- 0	1 3/4"	6.68	51
2- 8x6- 6	1 3/4"	6.15	51
2-10x6- 6	1 3/4"	6.52	52
3- 0x6- 6	1 3/4"	6.68	54
2- 6x6- 8	1 3/4"	5.96	42
2- 8x6- 8	1 3/4"	6.27	47
2-10x6- 8	1 3/4"	6.52	53
3- 0x6- 8	1 3/4"	6.77	55
2-10x6-10	1 3/4"	6.93	53
2- 6x7- 0	1 3/4"	6.46	47
2- 8x7- 0	1 3/4"	6.74	49
2-10x7- 0	1 3/4"	7.02	53
3- 0x7- 0	1 3/4"	7.30	56

FREIGHT ALLOWED 150 pounds or more—No crating charges

Two-Panel Pine Doors

R-432 Pine Stiles and Rails Fir or Gum Panels

Stiles $4\frac{1}{4}$ -inch Face
Cove and Bead Sticking



R-432

Two-Panel Fir Doors

R-432 Solid Edge Grain Stiles and Rails

Stiles $4\frac{1}{4}$ -inch Face
Bead and Cove Sticking

Stock Sizes	Thickness	Pine S. & R. Fir Panel	Pine S. & R. Gum Panel	No. 1 Fir 2 Panel
2- 0x6- 0	$1\frac{3}{8}"$	\$3.57	\$3.21
2- 4x6- 0	$1\frac{3}{8}"$	4.07
2- 6x6- 0	$1\frac{3}{8}"$	4.12
2- 0x6- 6	$1\frac{3}{8}"$	3.74	3.38
2- 2x6- 6	$1\frac{3}{8}"$	4.12
2- 4x6- 6	$1\frac{3}{8}"$	4.12	3.71
2- 6x6- 6	$1\frac{3}{8}"$	4.33	3.90
2- 8x6- 6	$1\frac{3}{8}"$	4.50
1- 6x6- 8	$1\frac{3}{8}"$	3.80
1- 8x6- 8	$1\frac{3}{8}"$	3.80
2- 0x6- 8	$1\frac{3}{8}"$	3.80	\$4.31	3.42
2- 2x6- 8	$1\frac{3}{8}"$	4.21	4.77	3.80
2- 4x6- 8	$1\frac{3}{8}"$	4.21	4.77	3.80
2- 6x6- 8	$1\frac{3}{8}"$	4.39	4.97	3.95
2- 8x6- 8	$1\frac{3}{8}"$	4.59	5.20	4.14
2- 10x6- 8	$1\frac{3}{8}"$	4.77
3- 0x6- 8	$1\frac{3}{8}"$	4.97	4.47
2- 10x6- 10	$1\frac{3}{8}"$	5.09	4.58
2- 0x7- 0	$1\frac{3}{8}"$	4.12
2- 2x7- 0	$1\frac{3}{8}"$	4.53
2- 4x7- 0	$1\frac{3}{8}"$	4.53	4.08
2- 6x7- 0	$1\frac{3}{8}"$	4.74
2- 8x7- 0	$1\frac{3}{8}"$	4.94
2- 10x7- 0	$1\frac{3}{8}"$	5.15
3- 0x7- 0	$1\frac{3}{8}"$	5.38	4.85
2- 8x6- 8	$1\frac{3}{4}"$	6.27
3- 0x6- 8	$1\frac{3}{4}"$	6.77
2- 6x7- 0	$1\frac{3}{4}"$	6.46
2- 8x7- 0	$1\frac{3}{4}"$	6.74
3- 0x7- 0	$1\frac{3}{4}"$	7.30



R-442

Two Vertical-Panel Doors

R-442 Pine Stiles and Rails Fir Panels

Stiles $4\frac{1}{4}$ -inch Face
 $9\frac{1}{4}$ -inch Face Bottom Rail
Cove and Bead Sticking

Stock Sizes	Thickness	Price
2- 0x6- 8	$1\frac{3}{8}"$	\$3.93
2- 2x6- 8	$1\frac{3}{8}"$	4.35
2- 4x6- 8	$1\frac{3}{8}"$	4.35
2- 6x6- 8	$1\frac{3}{8}"$	4.53
2- 8x6- 8	$1\frac{3}{8}"$	4.75

FREIGHT ALLOWED 150 pounds or more—No crating charges

“De Luxe” Interior Doors

SOFTWOOD

Pine Insert

Size	Thickness	Pine S. & R. Birch Pan	Pine S. & R. Gum Pan	Pine S. & R. Fir Pan
2- 0x6-0	1 3/8"	\$5.02	\$4.91
2- 0x6-6	1 3/8"	5.22	5.10
2- 2x6-6	1 3/8"	5.65
2- 4x6-6	1 3/8"	5.65	5.52
2- 6x6-6	1 3/8"	5.89	5.74
2- 8x6-6	1 3/8"	6.09
1- 6x6-8	1 3/8"	5.29	5.16
1- 8x6-8	1 3/8"	5.29	5.16
2- 0x6-8	1 3/8"	5.29	5.16	\$4.91
2- 2x6-8	1 3/8"	5.75	5.61
2- 4x6-8	1 3/8"	5.75	5.61	5.33
2- 6x6-8	1 3/8"	5.95	5.81	5.51
2- 8x6-8	1 3/8"	6.18	6.03	5.73
2-10x6-8	1 3/8"	6.38
3- 0x6-8	1 3/8"	6.62
2- 0x7-0	1 3/8"	5.65
2- 2x7-0	1 3/8"	6.12
2- 4x7-0	1 3/8"	6.12
2- 6x7-0	1 3/8"	6.35
2- 8x7-0	1 3/8"	6.58
3- 0x7-0	1 3/8"	7.08
2- 8x6-8	1 3/4"	8.04
2-10x6-8	1 3/4"	8.32
3- 0x6-8	1 3/4"	8.60
2- 8x7-0	1 3/4"	8.56



R-425

“DE LUXE” HARDWOOD

Size	Thickness	Veneered Unsel Birch	Veneered Unsel Gum	Veneered Plain Red Oak	Veneered Selected Red Gum
2- 0x6-0	1 3/8"	\$8.22	\$7.72	\$ 9.46
2- 0x6-6	1 3/8"	8.39	7.88	\$10.41	9.64
2- 4x6-6	1 3/8"	8.78	8.25	10.89	10.08
2- 6x6-6	1 3/8"	9.07	8.51	11.23	10.39
1- 6x6-8	1 3/8"	8.44	9.71
1- 8x6-8	1 3/8"	8.44	9.71
2- 0x6-8	1 3/8"	8.44	7.93	10.48	9.71
2- 2x6-8	1 3/8"	8.61	8.09	10.68	9.89
2- 4x6-8	1 3/8"	8.84	8.30	10.96	10.14
2- 6x6-8	1 3/8"	9.12	8.56	11.30	10.46
2- 8x6-8	1 3/8"	9.46	8.88	11.71	10.83
2-10x6-8	1 3/8"	9.86	9.25	12.19
3- 0x6-8	1 3/8"	10.31
2- 0x7-0	1 3/8"	9.12	11.30
2- 2x7-0	1 3/8"	9.29	11.50
2- 4x7-0	1 3/8"	9.52	11.78
2- 6x7-0	1 3/8"	9.80	12.12
2- 8x7-0	1 3/8"	10.14	12.53
2-10x7-0	1 3/8"	13.00
2- 8x6-8	1 3/4"	10.73
2-10x6-8	1 3/4"	11.13	10.52
3- 0x6-8	1 3/4"	11.58
2- 6x7-0	1 3/4"	11.07
2- 8x7-0	1 3/4"	11.41

FREIGHT ALLOWED 150 pounds or more—No crating charges

Interior Hardwood Doors

R-431 Birch and Fir

Veneer Rotary Cut. Sticking Cove and Bead.
Stiles 5-Inch Face. Bottom Rail $1\frac{1}{2}$ -Inch Face.



R-431

Stock Sizes	Thickness	Birch	No. 1 Fir, $1\frac{1}{8}$ "
2- 0x6-8	$1\frac{3}{4}$ "	\$ 9.71	\$4.10
2- 2x6-8	$1\frac{3}{4}$ "	9.88
2- 4x6-8	$1\frac{3}{4}$ "	10.11	4.46
2- 6x6-8	$1\frac{3}{4}$ "	10.39	4.62
2- 8x6-8	$1\frac{3}{4}$ "	10.73	4.81
2- 0x7-0	$1\frac{3}{4}$ "	10.39
2- 2x7-0	$1\frac{3}{4}$ "	10.56
2- 4x7-0	$1\frac{3}{4}$ "	10.79
2- 6x7-0	$1\frac{3}{4}$ "	11.07
2- 8x7-0	$1\frac{3}{4}$ "	11.41
2-10x7-0	$1\frac{3}{4}$ "	11.81
3- 0x7-0	$1\frac{3}{4}$ "	12.26

R-432 Plain Red Oak and Birch

Veneer Rotary Cut. Sticking Cove and Bead.
Stiles $4\frac{1}{4}$ -Inch Face. Bottom Rail $9\frac{1}{4}$ -Inch Face.



R-432

Stock Sizes	Thickness	Pl. Red Oak	Birch
2- 0x6-0	$1\frac{1}{8}$ "	\$ 9.53
2- 0x6-6	$1\frac{1}{8}$ "	9.74
2- 2x6-6	$1\frac{1}{8}$ "	9.96
2- 4x6-6	$1\frac{1}{8}$ "	10.20
2- 6x6-6	$1\frac{1}{8}$ "	10.55	\$ 8.58
2- 0x6-8	$1\frac{1}{8}$ "	9.80	7.97
2- 2x6-8	$1\frac{1}{8}$ "	9.99
2- 4x6-8	$1\frac{1}{8}$ "	10.28	8.35
2- 6x6-8	$1\frac{1}{8}$ "	10.61	8.63
2- 8x6-8	$1\frac{1}{8}$ "	11.03	8.97
3- 0x6-8	$1\frac{1}{8}$ "	12.05
2- 0x7-0	$1\frac{1}{8}$ "	10.61	8.63
2- 2x7-0	$1\frac{1}{8}$ "	10.82
2- 4x7-0	$1\frac{1}{8}$ "	11.09	9.03
2- 6x7-0	$1\frac{1}{8}$ "	11.43	9.31
2- 8x7-0	$1\frac{1}{8}$ "	11.84	9.65
2- 8x6-8	$1\frac{3}{4}$ "	12.30	10.24
2- 6x7-0	$1\frac{3}{4}$ "	12.68	10.58
2- 8x7-0	$1\frac{3}{4}$ "	13.11	10.92
2-10x7-0	$1\frac{3}{4}$ "	11.32
3- 0x7-0	$1\frac{3}{4}$ "	14.13	11.77

R-442 Birch

Veneer Rotary Cut. Sticking Cove and Bead.
Bottom Rail $1\frac{1}{2}$ -Inch Face.



R-442

Stock Sizes	Thickness	Birch
2- 6x6-6	$1\frac{3}{8}$ "	\$ 9.36
2- 0x6-8	$1\frac{3}{8}$ "	8.73
2- 2x6-8	$1\frac{3}{8}$ "	8.90
2- 4x6-8	$1\frac{3}{8}$ "	9.13
2- 6x6-8	$1\frac{3}{8}$ "	9.41
2- 8x6-8	$1\frac{3}{8}$ "	9.75
2- 0x7-0	$1\frac{3}{8}$ "	9.41
2- 2x7-0	$1\frac{3}{8}$ "	9.58
2- 4x7-0	$1\frac{3}{8}$ "	9.81
2- 6x7-0	$1\frac{3}{8}$ "	10.09
2- 8x7-0	$1\frac{3}{8}$ "	10.43
2-10x7-0	$1\frac{3}{8}$ "	10.83
3- 0x7-0	$1\frac{3}{8}$ "	11.28
2- 8x6-8	$1\frac{3}{4}$ "	11.02
2- 6x7-0	$1\frac{3}{4}$ "	11.36
2- 8x7-0	$1\frac{3}{4}$ "	11.70
2-10x7-0	$1\frac{3}{4}$ "	12.10

FREIGHT ALLOWED 150 pounds or more—No crating charges

Cupboard Doors


Pine Stiles and Rails
3-Ply Rotary Cut Flat Fir Panel

O. G. Sticking One Side

Square Sticking One Side

Stiles and Top Rail 2½-Inch Face

Bottom Rail 3½-Inch Face




Sizes	Thickness	Price
1-0x1-0	¾"	\$0.74
1-6	¾"	.74
1-2x1-6	¾"	.74
2-0	¾"	.81
2-6	¾"	1.04
3-6	¾"	1.34
4-0	¾"	1.42
1-4x1-0	¾"	.74
1-6	¾"	.74
1-8	¾"	.81
2-0	¾"	.81
2-4	¾"	1.04
2-6	¾"	1.04
3-0	¾"	1.12
3-6	¾"	1.34
4-0	¾"	1.42
4-6	¾"	1.65
1-6x1-0	¾"	.76
1-6	¾"	.76
1-8	¾"	.84
2-0	¾"	.84
2-4	¾"	1.06
2-6	¾"	1.06
3-0	¾"	1.14
3-6	¾"	1.37
4-0	¾"	1.44
4-6	¾"	1.67
1-8x1-0	¾"	.79
1-6	¾"	.79
1-8	¾"	.81
2-0	¾"	.89
2-4	¾"	1.12
2-6	¾"	1.12
3-0	¾"	1.22
3-6	¾"	1.44
4-0	¾"	1.55
4-6	¾"	1.77
2-0x1-6	¾"	.84
1-8	¾"	.96
2-0	¾"	.96
2-4	¾"	1.22
2-6	¾"	1.22
3-0	¾"	1.32
3-6	¾"	1.57
4-0	¾"	1.70
4-6	¾"	1.95

FREIGHT ALLOWED 150 pounds or more—No crating charges


R-907

R-907
No. 2 Pine

Stock Sizes	Thick-ness	Glazed S. S. B.	Open	Glass Size
2- 8x6-8	1 3/8"	\$4.74	\$4.13	23 1/2x26
2- 8x6-8	1 3/4"	6.42	5.81	23 1/2x26
2-10x6-8	1 3/4"	6.62	5.95	25 1/2x26
3- 0x6-8	1 3/4"	6.86	6.11	27 1/2x26
3- 0x7-0	1 3/4"	7.37	6.56	27 1/2x30


R-908

R-908
No. 2 Pine

Stock Sizes	Thick-ness	Glazed S. S. B.	Open	Glass Size
2- 8x6-8	1 3/8"	\$5.51	\$4.88	11 1/2x12 3/4
2- 8x6-8	1 3/4"	7.35	6.72	11 1/2x12 3/4
2-10x6-8	1 3/4"	7.55	6.86	12 1/2x12 3/4
3- 0x6-8	1 3/4"	7.72	7.03	13 1/2x12 3/4
3- 0x7-0	1 3/4"	8.27	7.50	13 1/2x14 3/4



R-909
Jaxon

R-909
Jaxon
No. 1 Pine

Stock Sizes	Thickness	Glazed D. S. B.	Open
2-8x6-8	1 3/8"	\$6.25	\$5.16
2-8x6-8	1 3/4"	8.11	7.02
3-0x6-8	1 3/4"	8.44	7.25
3-0x7-0	1 3/4"	8.94	7.75

FREIGHT ALLOWED 150 pounds or more—No crating charges

Exterior Doors

R-250

Stiles $4\frac{1}{4}$ -Inch Face
Bottom Rail $9\frac{1}{4}$ -Inch Face
Cove and Bead

No. 2 Pine and Fir

Stock Sizes	Thick-ness	No. 2 Pine Glazed S. S. B.	No. 2 Pine Open	No. 2 Fir Glazed S. S. B.
2- 6x6- 6	$1\frac{3}{8}"$	\$4.54	\$3.93	\$4.47
2- 6x6- 8	$1\frac{3}{8}"$	4.65	3.98	4.56
2- 8x6- 8	$1\frac{3}{8}"$	4.78	4.06	4.79
2-10x6-10	$1\frac{3}{8}"$	5.23	4.44
2- 8x7- 0	$1\frac{3}{8}"$	5.15	4.34
3- 0x7- 0	$1\frac{3}{8}"$	5.66	4.57

Glass size 2-8x6-8 $23\frac{1}{2}$ x30.

R-255

No. 1 Pine

Stock Sizes	Thick-ness	Glazed S. S. B.	Open
2- 6x6- 6	$1\frac{3}{8}"$	\$4.83	\$4.15
2- 6x6- 8	$1\frac{3}{8}"$	4.94	4.20
2- 8x6- 8	$1\frac{3}{8}"$	5.08	4.29
2-10x6- 8	$1\frac{3}{8}"$	5.28	4.40
2-10x6-10	$1\frac{3}{8}"$	5.55	4.67
2- 8x7- 0	$1\frac{3}{8}"$	5.47	4.59
2-10x7- 0	$1\frac{3}{8}"$	5.73	4.70
3- 0x7- 0	$1\frac{3}{8}"$	6.08	4.83
2- 6x6- 8	$1\frac{3}{4}"$	6.59	5.85
2- 8x6- 8	$1\frac{3}{4}"$	6.79	6.00
2-10x6- 8	$1\frac{3}{4}"$	7.05	6.17
3- 0x6- 8	$1\frac{3}{4}"$	7.20	6.32
2-10x6-10	$1\frac{3}{4}"$	7.40	6.52
2- 6x7- 0	$1\frac{3}{4}"$	7.08	6.26
2- 8x7- 0	$1\frac{3}{4}"$	7.32	6.44
2-10x7- 0	$1\frac{3}{4}"$	7.64	6.61
3- 0x7- 0	$1\frac{3}{4}"$	8.04	6.79

Glass size 2-8x6-8 $23\frac{1}{2}$ x30.
If glazed DSB, add 36c list.

R-260 Benton

Stiles $4\frac{1}{4}$ -Inch Face
Bottom Rail $9\frac{1}{4}$ -Inch Face
Sticking Cove and Bead

No. 2 Pine and Fir

Stock Sizes	Thick-ness	No. 2 Pine Glazed S. S. B.	No. 2 Pine Open	No. 2 Fir Glazed S. S. B.
2- 6x6- 6	$1\frac{3}{8}"$	\$4.71	\$4.16	\$4.31
2- 6x6- 8	$1\frac{3}{8}"$	4.40
2- 8x6- 8	$1\frac{3}{8}"$	4.95	4.34	4.59

Glass size 2-8x6-8 $23\frac{1}{2}$ x26.



R-250



R-255



R-260 Benton

FREIGHT ALLOWED 150 pounds or more—No crating charges

Exterior Doors—Pine No. 1

R-200 Craft Door One Light

Stiles 5-Inch Face
Bottom Rail 9¼-Inch Face
Sticking Cove and Bead



R-200

Stock Sizes	Pine Glazed D.S.B.	Pine Open	Glass Size
1 3/8"			
2- 8x6- 8	\$5.72	\$5.05	22x18
2-10x6- 8	5.89	5.19	24x18
3- 0x6- 8	6.11	5.35	26x18
2- 8x7- 0	6.18	5.51	22x18
3- 0x7- 0	6.57	5.81	26x18
1 3/4"			
2- 8x6- 8	7.72	7.05	22x18
2-10x6- 8	7.90	7.20	24x18
3- 0x6- 8	8.16	7.40	26x18
2- 8x7- 0	8.36	7.69	22x18
2-10x7- 0	8.57	7.87	24x18
3- 0x7- 0	8.83	8.07	26x18

If Wanted Div. 4-Lt. Pine, add.....\$1.35

If Wanted Div. 8-Lt. Pine, add.....\$3.00

R-203 Craft Door Three Light

Stiles 5-Inch Face
Bottom Rail 9¼-Inch Face
Sticking Cove and Bead



R-203

Stock Sizes	Pine Glazed D.S.B.	Pine Open	Entire Glass Size
1 3/8"			
2- 8x6- 8	\$ 6.33	\$5.60	22x18
2-10x6- 8	6.49	5.73	24x18
3- 0x6- 8	6.72	5.90	26x18
2- 8x7- 0	6.82	6.09	22x18
3- 0x7- 0	7.21	6.39	26x18
1 3/4"			
2- 8x6- 8	8.45	7.72	22x18
2-10x6- 8	8.63	7.87	24x18
3- 0x6- 8	8.89	8.07	26x18
2- 8x7- 0	9.02	8.39	22x18
2-10x7- 0	9.33	8.57	24x18
3- 0x7- 0	9.60	8.78	26x18

R-206 Craft Door Six Light

Stiles 5-Inch Face
Bottom Rail 9¼-Inch Face
Sticking Cove and Bead



R-206

Stock Sizes	Pine Glazed D.S.B.	Pine Open	Entire Glass Size
1 3/8"			
2- 8x6- 8	\$ 7.20	\$ 6.31	22x18
2-10x6- 8	7.36	6.44	24x18
3- 0x6- 8	7.59	6.61	26x18
2- 8x7- 0	7.74	6.85	22x18
3- 0x7- 0	8.13	7.15	26x18
1 3/4"			
2- 8x6- 8	9.46	8.57	22x18
2-10x6- 8	9.64	8.72	24x18
3- 0x6- 8	9.90	8.92	26x18
2- 8x7- 0	10.16	9.27	22x18
2-10x7- 0	10.37	9.45	24x18
3- 0x7- 0	10.63	9.65	26x18


FREIGHT ALLOWED 150 pounds or more—No crating charges

W. P. Mouldings


Crown Mould and Bed



7001—	$\frac{3}{4} \times 1 \frac{3}{4}$	\$2.10
7002—	$\frac{3}{4} \times 2 \frac{1}{4}$	2.64
7003—	$\frac{3}{4} \times 2 \frac{3}{4}$	3.51
7004—	$\frac{3}{4} \times 3 \frac{1}{4}$	4.11
7005—	$\frac{3}{4} \times 3 \frac{5}{8}$	4.68
7007—	$\frac{3}{4} \times 4 \frac{5}{8}$	6.45
8006—	$\frac{3}{4} \times 4 \frac{1}{4}$	5.58




7011—	$\frac{3}{4} \times 2 \frac{1}{4}$	\$2.64
7012—	$\frac{3}{4} \times 2 \frac{3}{4}$	3.51
7013—	$\frac{3}{4} \times 3 \frac{1}{4}$	4.11
7014—	$\frac{3}{4} \times 3 \frac{5}{8}$	4.68
7015—	$\frac{3}{4} \times 4 \frac{1}{4}$	5.58
7016—	$\frac{3}{4} \times 4 \frac{5}{8}$	6.45



7024—	$\frac{3}{4} \times 2$	\$2.37
7025—	$\frac{3}{4} \times 2 \frac{1}{4}$	2.64
7026—	$\frac{3}{4} \times 2 \frac{3}{4}$	3.51
7027—	$\frac{3}{4} \times 3 \frac{1}{4}$	4.11


7023—	$\frac{3}{4} \times 1 \frac{3}{4}$	\$2.10
-------	------------------------------------	-------	--------

Sprung Cove Mould



7035—	$\frac{3}{4} \times 1 \frac{3}{4}$	\$2.10
7036—	$\frac{3}{4} \times 2 \frac{1}{4}$	2.64

Bed Mould



7047—	$\frac{3}{4} \times 1 \frac{1}{16}$	\$1.32
7048—	$\frac{3}{4} \times 1 \frac{5}{16}$	1.86
7049—	$1 \frac{1}{16} \times 1 \frac{5}{16}$	3.06
7050—	$1 \frac{1}{16} \times 1 \frac{7}{8}$	3.87
8045—	$\frac{3}{4} \times 1 \frac{1}{2}$	2.00
8048—	$1 \frac{5}{8} \times 2$	6.50

Sprung Bed Mould



7055—	$\frac{3}{4} \times 1 \frac{3}{4}$	\$2.10
8030—	$\frac{3}{4} \times 2 \frac{1}{4}$	2.64
8032—	$\frac{3}{4} \times 2$	2.37

Prices per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%

FREIGHT ALLOWED 150 pounds or more


W. P. Mouldings

Cove Mould



7032— $\frac{3}{4}$ x $\frac{7}{8}$	\$1.05
7033— $\frac{3}{4}$ x1 $\frac{1}{16}$	1.32

Quarter Round



7083— $\frac{1}{2}$ x $\frac{1}{2}$	\$0.84
7084— $\frac{5}{8}$ x $\frac{5}{8}$99
7085— $\frac{3}{4}$ x $\frac{3}{4}$	1.05
8066— $\frac{1}{2}$ —1 $\frac{1}{16}$ x1 $\frac{1}{16}$	2.22

Nosing Moulds



7511—1 $\frac{1}{16}$ x1 $\frac{5}{8}$	\$3.87
7512—1 $\frac{5}{16}$ x2 $\frac{1}{4}$	5.85

Band Mould




8176— $\frac{3}{4}$ x1 $\frac{3}{4}$	\$2.10
--	--------




8177— $\frac{3}{4}$ x2.....	\$2.37
-----------------------------	--------

Fence Cap Mould



8271— $\frac{3}{4}$ x1 $\frac{3}{4}$	\$2.10
8272—1 $\frac{1}{16}$ x2.....	4.41

Lattice



7501— $\frac{5}{16}$ x1 $\frac{1}{8}$	\$0.81
7502— $\frac{5}{16}$ x1 $\frac{3}{8}$	1 05
7503— $\frac{5}{16}$ x1 $\frac{3}{4}$	1.47

**Blind Stop
Parting Stop**




7461— $\frac{1}{2}$ x $\frac{3}{4}$	\$0.99
7463— $\frac{3}{4}$ x1 $\frac{1}{4}$	1.59

Drip Cap




7481A— $\frac{3}{4}$ x1 $\frac{5}{8}$	\$2.10
7481—1 $\frac{1}{16}$ x1 $\frac{5}{8}$	3.87
7482—1 $\frac{1}{16}$ x2.....	4.41
7483—1 $\frac{1}{16}$ x2 $\frac{1}{2}$	5.34

Baluster Stock



7551— $\frac{3}{4}$ x $\frac{3}{4}$	\$1.20
7552—1 $\frac{1}{16}$ x1 $\frac{1}{16}$	2.22
7553—1 $\frac{5}{16}$ x1 $\frac{5}{16}$	4.11
7554—1 $\frac{5}{8}$ x1 $\frac{5}{8}$	6.45

Brick Mould



7061—1 $\frac{1}{16}$ x2.....	\$4.41
-------------------------------	--------

**Prices per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%**

FREIGHT ALLOWED 150 pounds or more

Window Frame Stock



7463

7461

7465

Window Frame Stock

Design	Size	Y. P.	W. P.
7461	$\frac{1}{2} \times \frac{3}{4}$	\$0.90	\$0.99
7463	$\frac{3}{4} \times 1 \frac{1}{4}$	1.59
7465	$\frac{3}{4} \times 4 \frac{1}{2}$	5.52

Water Drip



8503

8503— $\frac{3}{4} \times 1 \frac{1}{2}$\$1.90

Stucco Mould



8522

8522— $\frac{3}{4} \times 1 \frac{3}{8}$\$1.90

W. P. Mouldings

Pine Screen Material



7092— $\frac{5}{16} \times \frac{5}{8}$\$0.72
7093— $\frac{3}{8} \times 1 \frac{1}{16}$84
7094— $\frac{1}{2} \times 1$ 1.26



7103— $\frac{5}{16} \times \frac{5}{8}$\$0.72
7104— $\frac{3}{8} \times \frac{3}{4}$84




7102— $\frac{1}{4} \times \frac{3}{4}$\$0.72



8612

8613

8612— $\frac{1}{2} \times \frac{3}{4}$\$1.13
8613— $\frac{3}{4} \times 1 \frac{3}{4}$ 2.07



8614 — $\frac{3}{4} \times 1 \frac{3}{4}$\$2.07
8615 — $\frac{3}{4} \times 2 \frac{3}{4}$ 3.15
8616 — $1 \frac{1}{8} \times 2$ 4.32
8616 $\frac{1}{2}$ — $1 \frac{1}{8} \times 1 \frac{3}{4}$ 3.75
8617 — $1 \frac{1}{8} \times 3$ 6.50
8619 — $1 \frac{1}{8} \times \frac{3}{4}$ 1.35
8620 — $1 \frac{1}{8} \times 4$ 9.00

W. P. Glass Beads



7171— $\frac{1}{4} \times 1 \frac{1}{2}$\$0.63
8561— $\frac{1}{4} \times \frac{3}{8}$63



7174 — $\frac{3}{8} \times \frac{1}{2}$\$0.75
8562A— $\frac{3}{16} \times \frac{3}{8}$75



7172 — $\frac{3}{8} \times \frac{7}{16}$\$0.84
8563C— $\frac{1}{2} \times \frac{3}{4}$99



7175 — $\frac{1}{2} \times \frac{9}{16}$\$0.84
7175A— $\frac{3}{8} \times \frac{3}{8}$84
8571 — $\frac{5}{8} \times \frac{3}{8}$99

Prices per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%

FREIGHT ALLOWED 150 pounds or more

Interior Trim


Prices per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%



Cove Moulds

Design	Size	Y. P.	Gum	Oak	Birch
7032	$\frac{3}{4} \times \frac{7}{8}$	\$0.96	\$1.80	\$2.40	\$2.10
7033	$\frac{3}{4} \times 1 \frac{1}{16}$	1.20

Quarter Round and Full Round



Design	Size	Y. P.	Gum	Oak	Birch
7083	$\frac{1}{2} \times \frac{1}{2}$	\$0.75
7084	$\frac{5}{8} \times \frac{5}{8}$.90
7085	$\frac{3}{4} \times \frac{3}{4}$.96	\$1.80	\$2.40	\$2.10
7542	$1 \frac{1}{16}$ F. R.	2.40
7543	$1 \frac{5}{16}$ F. R.	4.20


Window and Door Stop



Design	Size	Y. P.
7222	$\frac{3}{8} \times 1 \frac{1}{16}$	\$0.93
7223	$\frac{3}{8} \times 1 \frac{3}{8}$	1.05
7224	$\frac{3}{8} \times 1 \frac{5}{8}$	1.32
7225	$\frac{1}{2} \times 1 \frac{1}{16}$	1.17
7226	$\frac{1}{2} \times 1 \frac{3}{8}$	1.41
7227	$\frac{1}{2} \times 1 \frac{5}{8}$	1.89
7228	$\frac{1}{2} \times 1 \frac{7}{8}$	2.13

Design	Size	Y. P.	Gum	Oak	Birch
7241	$\frac{1}{2} \times 1 \frac{1}{16}$	\$1.17
7242	$\frac{1}{2} \times 1 \frac{3}{8}$	1.41	\$2.70	\$3.60	\$3.15
7243	$\frac{1}{2} \times 1 \frac{5}{8}$	1.89	3.60	4.80	4.20
7244	$\frac{1}{2} \times 1 \frac{7}{8}$	2.13	4.05	5.40	4.74
7245	$\frac{1}{2} \times 2 \frac{1}{4}$	2.37	4.50	6.00	5.25

Hook Strip



8234

Wainscot Cap



7146

Shelf Cleat



7268

Panel Strips



7121

Design	Size	Y. P.
7121	$\frac{5}{16} \times 1 \frac{5}{8}$	\$1.35
7146	$\frac{3}{4} \times 2 \frac{3}{4}$	3.42
7268	$\frac{3}{4} \times 1 \frac{7}{8}$	2.37
8234	$\frac{5}{8} \times 2 \frac{1}{2}$	2.61

FREIGHT ALLOWED 150 pounds or more

Exterior Doors—Pine No. 1

R-200 Craft Door One Light

Stiles 5-Inch Face
Bottom Rail 9¼-Inch Face
Sticking Cove and Bead



R-200

Stock Sizes	Pine Glazed D.S.B.	Pine Open	Glass Size
1 3/8"			
2- 8x6- 8	\$5.72	\$5.05	22x18
2-10x6- 8	5.89	5.19	24x18
3- 0x6- 8	6.11	5.35	26x18
2- 8x7- 0	6.18	5.51	22x18
3- 0x7- 0	6.57	5.81	26x18
1 3/4"			
2- 8x6- 8	7.72	7.05	22x18
2-10x6- 8	7.90	7.20	24x18
3- 0x6- 8	8.16	7.40	26x18
2- 8x7- 0	8.36	7.69	22x18
2-10x7- 0	8.57	7.87	24x18
3- 0x7- 0	8.83	8.07	26x18

If Wanted Div. 4-Lt. Pine, add.....\$1.35

If Wanted Div. 8-Lt. Pine, add.....\$3.00

R-203 Craft Door Three Light

Stiles 5-Inch Face
Bottom Rail 9¼-Inch Face
Sticking Cove and Bead



R-203

Stock Sizes	Pine Glazed D.S.B.	Pine Open	Entire Glass Size
1 3/8"			
2- 8x6- 8	\$ 6.33	\$5.60	22x18
2-10x6- 8	6.49	5.73	24x18
3- 0x6- 8	6.72	5.90	26x18
2- 8x7- 0	6.82	6.09	22x18
3- 0x7- 0	7.21	6.39	26x18
1 3/4"			
2- 8x6- 8	8.45	7.72	22x18
2-10x6- 8	8.63	7.87	24x18
3- 0x6- 8	8.89	8.07	26x18
2- 8x7- 0	9.02	8.39	22x18
2-10x7- 0	9.33	8.57	24x18
3- 0x7- 0	9.60	8.78	26x18

R-206 Craft Door Six Light

Stiles 5-Inch Face
Bottom Rail 9¼-Inch Face
Sticking Cove and Bead



R-206

Stock Sizes	Pine Glazed D.S.B.	Pine Open	Entire Glass Size
1 3/8"			
2- 8x6- 8	\$ 7.20	\$ 6.31	22x18
2-10x6- 8	7.36	6.44	24x18
3- 0x6- 8	7.59	6.61	26x18
2- 8x7- 0	7.74	6.85	22x18
3- 0x7- 0	8.13	7.15	26x18
1 3/4"			
2- 8x6- 8	9.46	8.57	22x18
2-10x6- 8	9.64	8.72	24x18
3- 0x6- 8	9.90	8.92	26x18
2- 8x7- 0	10.16	9.27	22x18
2-10x7- 0	10.37	9.45	24x18
3- 0x7- 0	10.63	9.65	26x18

FREIGHT ALLOWED 150 pounds or more—No crating charges

Exterior Doors

R-232 Beverly
 Stiles 5-Inch Face
 Bottom Rail 9¼-Inch Face
 Sticking Cove and Bead

No. 1 Pine

Stock Sizes	Glazed D.S.B.	Open	Glass Size
1 3/8"			
2- 6x6- 6	\$5.67	\$4.10	20x44
2- 8x6- 8	5.99	4.26	22x46
3- 0x7- 0	6.85	4.78	26x50
1 3/4"			
2- 8x6- 8	7.84	6.11	22x46
2-10x6- 8	7.96	6.23	24x46
3- 0x6- 8	8.11	6.38	26x46
2-10x6-10	8.68	6.61	24x48
2- 8x7- 0	8.42	6.58	22x50
2-10x7- 0	8.80	6.73	24x50
3- 0x7- 0	8.91	6.84	26x50



R-232 Beverly

R-233 Sterling

Stiles 5-Inch Face
 Bottom Rail 9¼-Inch Face
 Sticking Cove and Bead

No. 1 Pine

Sizes	Glazed D.S.B.	Open	Entire Glass Size
1 3/8"			
2- 6x6- 6	\$8.33	\$6.39	20x44
*2- 8x6- 8	8.63	6.55	22x46
*3- 0x7- 0	9.50	7.07	26x50
1 3/4"			
2- 8x6- 8	11.00	8.92	22x46
2-10x6- 8	11.31	9.04	24x46
3- 0x6- 8	11.45	9.18	26x46
2-10x6-10	11.69	9.42	24x48
2- 8x7- 0	11.56	9.39	22x50
2-10x7- 0	11.81	9.54	24x50
3- 0x7- 0	12.08	9.65	26x50

*Sizes in stock for immediate shipment. On other sizes bars must be inserted after order is received.



R-233 Sterling

R-234 Argo

Stiles 5-Inch Face
 Bottom Rail 9¼-Inch Face
 Sticking Cove and Bead

No. 1 Pine

Sizes	Glazed D.S.B.	Open	Entire Glass Size
1 3/8"			
2- 6x6- 6	\$7.19	\$5.32	20x44
*2- 8x6- 8	7.52	5.49	22x46
*2- 8x7- 0	8.01	5.87	22x50
*3- 0x7- 0	8.42	6.06	26x50
1 3/4"			
2- 8x6- 8	9.61	7.58	22x46
2-10x6- 8	9.72	7.69	24x46
3- 0x6- 8	9.87	7.84	26x46
2-10x6-10	10.53	8.16	24x48
2- 8x7- 0	10.27	8.13	22x50
2-10x7- 0	10.65	8.28	24x50
3- 0x7- 0	10.76	8.39	26x50

*Sizes in stock for immediate shipment. On other sizes bars must be inserted after order is received.




R-234 Argo

FREIGHT ALLOWED 150 pounds or more—No crating charges

Exterior Doors

R-150 Dividor

PINE - OAK - BIRCH



R-150 Dividor

Sizes	Pine Glazed D. S. B.	Pine Open	Oak Glazed D. S. B.	Birch Glazed D. S. B.
1 3/4"				
2- 8x6-8	\$ 8.23	\$5.73
3- 0x7-0	8.99	6.16
1 3/4"				
2- 8x6-8	10.41	7.91	\$16.86	\$15.86
2- 10x6-8	10.63	8.03	17.00
3- 0x6-8	10.87	8.16	17.25	16.25
2- 8x7-0	10.93	8.33	17.60
2- 10x7-0	11.28	8.45	17.65
3- 0x7-0	11.41	8.58	17.85	16.85

If oak or birch wanted open, deduct \$2.50.

R-159 Marmon

PINE - OAK - BIRCH



R-159 Marmon

Sizes	Pine Glazed D. S. B.	Pine Open	Oak Glazed D. S. B.	Birch Glazed D. S. B.
1 3/4"				
2- 8x6-8	\$ 7.59	\$5.11
3- 0x7-0	8.48	5.55
1 3/4"				
2- 8x6-8	9.57	7.09	\$16.59	\$15.59
2- 10x6-8	10.02	7.21	16.80
3- 0x6-8	10.15	7.34	17.22	16.25
2- 8x7-0	10.32	7.51	17.50
2- 10x7-0	10.44	7.63	17.75
3- 0x7-0	10.69	7.76	17.82	16.95

If oak or birch wanted open, deduct \$2.50.

R-160

PINE - OAK - BIRCH



R-160

Stock Sizes	Pine Glazed D. S. B.	Pine Open	Oak Glazed D. S. B.	Birch Glazed D. S. B.
1 3/4"				
2- 8x6-8	\$ 8.95	\$7.25	\$13.95	\$11.90
2- 8x7-0	9.68	7.76	14.95	12.60
3- 0x7-0	10.24	8.08	16.05	14.70

If oak or birch wanted open, deduct \$1.35.

FREIGHT ALLOWED 150 pounds or more—No crating charges

3200 30x6-2

175-180/81 Ben

Exterior Doors

R-242 Amayo

Stiles 5-Inch Face
Bottom Rail 9¼-Inch Face
Sticking Cove and Bead

No. 1 Pine

Stock Sizes	Glazed D. S. B.	Glazed Plain Plate	Open	Glass Size
1 3/8" 2- 8x6- 8	\$ 6.50	\$14.50	\$4.95	22x40
1 3/4" 2- 8x6- 8	8.55	16.50	6.98	22x40
3- 0x7- 0	9.65	19.50	7.71	26x44



R-242 Amayo

R-145 Radio

Bottom Rail 18-Inch Face
Flush Mould

No. 1 Pine

Stock Sizes	Glazed D. S. B.	Glazed Plain Plate	Open
1 3/4" 2- 8x6-8	\$ 9.82	\$18.41	\$ 7.73
1 3/4" 2- 8x6-8	11.78	20.37	9.69
2-10x6-8	12.21	21.51	9.84
3- 0x6-8	12.36	22.69	9.99
2- 8x7-0	12.59	21.65	10.22
2-10x7-0	12.74	22.88	10.37
3- 0x7-0	13.27	24.13	10.52

Glass Size 2-8x6-8 Pine 20x54.



R-145 Radio

Pine — Oak — Birch

R-140 Solar

Stock Sizes	Pine Glazed D. S. B.	Oak Glazed D. S. B.	Birch Glazed D. S. B.	Add for Plain Plate
1 3/8" 2- 8x6-8	\$ 6.32	\$10.20
1 3/4" 2- 8x6-8	8.13	\$12.63	\$11.90	10.20
2-10x6-8	8.60	12.80	12.00	10.91
3- 0x6-8	8.75	13.26	12.50	12.30
2- 8x7-0	8.94	13.50	12.60	10.68
2-10x7-0	9.08	13.75	12.85	11.80
3- 0x7-0	9.35	13.86	12.95	13.60

Glass size 2-8x6-8 Pine 22x56.

Glass size 2-8x6-8 Oak or Birch 20x56.

If open, deduct from DSB Prices \$1.66.



R-140 Solar

FREIGHT ALLOWED 150 pounds or more—No crating charges

Mirror Doors

1-Panel Back

R-550



R-550

One-panel Back. This door is usually used for a closet and door does not need to match others in room.

Stock Sizes	Plain Plate Mirror Size	One Panel Birch
1 3/4"		
2-0x6-8	14x63 1/2	\$22.63
2-2x6-8	16x63 1/2	24.67
2-4x6-8	18x63 1/2	26.41
2-6x6-8	20x63 1/2	28.19
2-8x6-8	22x63 1/2	29.93
2-0x7-0	14x67 1/2	23.87
2-2x7-0	16x67 1/2	26.02
2-4x7-0	18x67 1/2	27.85
2-6x7-0	20x67 1/2	29.75
2-8x7-0	22x67 1/2	33.42

If mirror is wanted bevel plate, add \$8.25.

To arrive at the price of any other style mirror door, use the following mirror schedule. Add the mirror price shown below, opposite the size of door to the price of style of door wanted as found on other pages.

Mirror For	Approximate Mirror Size	Price Plain Plate Mirror
2-0x6-6	16x65	\$17.08
2-0x6-8	16x67	17.45
2-0x7-0	16x71	18.24
2-2x6-8	18x67	19.08
2-2x7-0	18x71	19.93
2-4x6-6	20x65	20.24
2-4x6-8	20x67	20.72
2-4x7-0	20x71	21.66
2-6x6-6	22x65	23.51
2-6x6-8	22x67	24.05
2-6x7-0	22x71	25.20
2-8x6-8	24x67	25.82
2-8x7-0	24x71	27.09

If mirror is wanted bevel plate, add \$9.00.

FREIGHT ALLOWED 150 pounds or more—No crating charges

Store Doors

R-155

6-Inch Face Stiles and Top Rail

18-Inch Face Bottom Rail

Cove and Bead Sticking

2¼ Inches Thick

Pine No. 1

Sizes	Glazed Plain Plate	Open	Glass Size
*3-0x7-0	\$30.45	\$15.85	24x60
*3-2x7-0	33.98	16.89	26x60
*3-4x7-0	34.14	16.89	28x60
*3-6x7-0	35.67	17.25	30x60
*3-0x7-6	34.50	17.80	24x66
*3-2x7-6	36.02	18.41	26x66
*3-4x7-6	37.31	18.41	28x66
*3-6x7-6	38.93	18.77	30x66

Veneered Birch

2¼ Inches Thick

¼-Inch Veneer

Waterproof Glue

Sizes	Glazed Plain Plate	Open	Glass Size
3-0x7-0	\$38.02	\$23.02	24x60
3-2x7-0	38.02	23.02	26x60
3-4x7-0	39.29	23.02	28x60
3-6x7-0	40.72	23.02	30x60
3-0x7-6	39.14	23.02	24x66
3-2x7-6	39.14	23.02	26x66
3-4x7-6	40.72	23.02	28x66
3-6x7-6	42.37	23.02	30x66



R-155

Veneered Oak

2¼ Inches Thick

¼-Inch Veneer

Waterproof Glue

Sizes	Glazed Plain Plate	Open	Glass Size
3-0x7-0	\$37.42	\$22.42	24x60
3-2x7-0	37.42	22.42	26x60
3-4x7-0	38.69	22.42	28x60
3-6x7-0	40.12	22.42	30x60
3-0x7-6	38.54	22.42	24x66
3-2x7-6	38.54	22.42	26x66
3-4x7-6	40.12	22.42	28x66
3-6x7-6	41.77	22.42	30x66

Sizes marked * in stock, other sizes made from K. D. stock.

Any other sizes up to 3-6x7-6 can be made promptly from K. D. stock.

FREIGHT ALLOWED 150 pounds or more—No crating charges

French Doors

R-500 "Sunlite"

Stiles 4-Inch Face

Bottom Rail 9-Inch Face

No. 1 Pine

Cove and Bead Sticking



R-500 Sunlite

Stock Sizes	Glazed D. S. B.	Glazed Plain Plate	Open
1 $\frac{3}{8}$ "			
*4-0x6-8	\$12.02	\$20.22	\$8.11
*5-0x6-8	12.93	32.37	8.30
*5-4x6-8	13.27	32.46	8.39
*4-0x7-0	12.67	20.79	8.62
*5-0x7-0	13.68	32.94	8.80
*5-4x7-0	14.16	32.97	8.87

For 1 $\frac{3}{4}$ inch, add \$4.20 per pair.

Plain Oak Veneer

Bevel Sticking

Stock Sizes	Glazed D. S. B.	Glazed Plain Plate	Open
1 $\frac{3}{8}$ "			
*4-0x6-8	\$24.93	\$34.92	\$20.43
*5-0x6-8	25.47	45.12	20.97
*5-4x6-8	25.68	46.20	21.18
*4-0x7-0	27.48	36.06	21.48
*5-0x7-0	28.02	46.32	22.02

Birch Veneer

Bevel Sticking

Stock Sizes	Glazed D. S. B.	Glazed Plain Plate	Open
1 $\frac{3}{8}$ "			
*4-0x6-8	\$22.56	\$32.52	\$18.06
*5-0x6-8	23.01	42.66	18.51
*5-4x6-8	23.16	43.10	18.66
*4-0x7-0	24.90	33.48	18.90
*5-0x7-0	25.35	43.62	19.35
*5-4x7-0	25.50	44.10	19.50
*6-0x7-0	25.89	49.50	19.89

For 1 $\frac{3}{4}$ inch, add \$3.60 per pair.

R-505 "Morlite"

Stiles 4-Inch Face

Bottom Rail 9-Inch Face

No. 1 Pine

Cove and Bead Sticking



R-505 Morlite

Sizes	Glazed D. S. B.	Glazed Plain Plate	Open
1 $\frac{3}{8}$ "			
*5-0x6-8	\$15.08	\$24.51	\$9.67
*5-4x6-8	15.42	27.24	9.76
*5-0x7-0	15.83	25.08	10.17
*5-4x7-0	16.29	27.75	10.22
*6-0x7-0	17.33	31.35	10.36

For 1 $\frac{3}{4}$ inch, add \$4.20 per pair.

Plain Oak Veneer

Bevel Sticking

Stock Sizes	Glazed D. S. B.	Glazed Plain Plate	Open
1 $\frac{3}{8}$ "			
*5-0x6-8	\$30.54	\$41.10	\$25.77
*5-4x6-8	30.72	41.28	25.98
*5-0x7-0	31.68	42.24	26.82
*5-4x7-0	31.92	42.48	27.00
*6-0x7-0	33.24	49.26	27.51

Birch Veneer

Bevel Sticking

Stock Sizes	Glazed D. S. B.	Glazed Plain Plate	Open
1 $\frac{3}{8}$ "			
*5-0x6-8	\$28.08	\$38.64	\$23.31
*5-4x6-8	28.20	38.76	23.46
*5-0x7-0	28.98	39.54	23.64
*5-4x7-0	29.16	39.72	24.69

For 1 $\frac{3}{4}$ inch, add \$3.60 per pair.

Sizes * in stock for immediate shipment. Doors 1 $\frac{3}{4}$ inches thick carried in stock in Pine only. On Oak and Birch Doors 1 $\frac{3}{4}$ inches thick, the bars must be inserted after order is received.

FREIGHT ALLOWED 150 pounds or more—No crating charges

French Doors



R-485 Frenchador

Stiles 5-Inch Face

Bottom Rail 11 1/2-Inch Face

No. 1 Pine

Cove and Bead Sticking

Stock Sizes	Thickness	Glazed D. S.	Glazed Bevel Plate	Open
2- 6x6-8	1 3/8"	\$ 7.95	\$24.89	\$ 5.36
2- 8x6-8	1 3/8"	8.12	24.93	5.41
3- 0x6-8	1 3/8"	8.53	29.40	5.50
2- 6x7-0	1 3/8"	8.32	25.13	5.61
2- 8x7-0	1 3/8"	8.47	25.16	5.64
2- 6x6-8	1 3/4"	10.07	27.56	7.48
2- 8x6-8	1 3/4"	10.24	27.63	7.53
3- 0x6-8	1 3/4"	10.70	32.13	7.66
2- 6x7-0	1 3/4"	10.59	27.99	7.88
2- 8x7-0	1 3/4"	10.76	28.04	7.93
2-10x7-0	1 3/4"	11.01	30.29	7.98
3- 0x7-0	1 3/4"	11.29	32.54	8.03

Plain Oak Veneer

Bevel Sticking

2- 6x6-8	1 3/4"	\$15.62	\$35.28	\$12.83
2- 8x6-8	1 3/4"	15.72	35.52	12.93
3- 0x6-8	1 3/4"	16.40	40.56	13.20
2- 6x7-0	1 3/4"	16.20	35.78	13.41
2- 8x7-0	1 3/4"	16.29	36.06	13.50
3- 0x7-0	1 3/4"	16.99	41.10	13.79

Birch Veneer

Bevel Sticking

2- 6x6-8	1 3/4"	\$14.37	\$33.68	\$11.58
2- 8x6-8	1 3/4"	14.46	33.89	11.67
3- 0x6-8	1 3/4"	15.10	38.79	11.90
2- 6x7-0	1 3/4"	14.85	34.08	12.06
2- 8x7-0	1 3/4"	14.94	34.31	12.15
2-10x7-0	1 3/4"	15.46	36.77	12.26
3- 0x7-0	1 3/4"	15.57	39.21	12.37

FREIGHT ALLOWED 150 pounds or more—No crating charges

Andersen and Qualitybilt Pine Window Frames

For 1 $\frac{3}{8}$ -Inch Windows

Head and Sill One Bundle. Sides One Bundle. Semi-assembled—No Inside Stops Included. Pockets Cut and Pulleys Set

Glass Size 2 Lt. Window	Drip Cap A-601 R-411	Brick Veneer A-651	Box A-671	Glass Size 2 Lt. Window	Drip Cap A-601 R-411	Brick Veneer A-651	Box A-671
16x12	\$2.59	\$2.46	\$2.87	28x16	\$3.40	\$3.68	\$3.50
14	2.67	2.58	3.00	18	3.50	3.29	3.62
16	2.90	2.70	3.12	20	3.64	3.33	3.75
18	3.00	2.83	3.25	22	3.74	3.46	3.88
20	3.14	2.96	3.38	24	3.83	3.58	4.00
22	3.24	3.08	3.50	26	3.93	3.70	4.12
24	3.33	3.21	3.63	28	4.03	3.83	4.25
26	3.43	3.33	3.75	30	4.13	3.96	4.38
28	3.53	3.46	3.87	32	4.33	4.08	4.50
30	3.63	3.59	4.00	36	4.54	4.33	4.75
18x12	2.65	2.52	2.94	30x16	3.47	3.15	3.56
14	2.73	2.64	3.06	18	3.57	3.27	3.69
16	2.97	2.77	3.18	20	3.71	3.40	3.82
18	3.07	2.89	3.31	22	3.80	3.52	3.94
20	3.29	3.02	3.44	24	3.90	3.65	4.08
22	3.30	3.15	3.56	26	4.00	3.77	4.19
24	3.40	3.27	3.69	28	4.10	3.90	4.31
26	3.49	3.39	3.81	30	4.20	4.03	4.45
28	3.60	3.52	3.94	32	4.40	4.15	4.57
30	3.69	3.65	4.07	36	4.61	4.40	4.82
20x12	2.70	2.58	3.00	32x16	3.53	3.21	3.62
14	2.80	2.70	3.12	18	3.63	3.33	3.75
16	3.02	2.83	3.25	20	3.77	3.46	3.88
18	3.12	2.95	3.37	22	3.87	3.59	4.00
20	3.26	3.08	3.50	24	3.96	3.71	4.13
22	3.36	3.20	3.63	26	4.06	3.84	4.25
24	3.45	3.33	3.75	28	4.16	3.96	4.38
26	3.55	3.46	3.88	30	4.26	4.09	4.51
28	3.65	3.58	4.00	32	4.46	4.21	4.63
30	3.75	3.71	4.13	36	4.67	4.46	4.88
22x12	2.85	2.64	3.06	34x16	3.59	3.27	3.69
14	2.93	2.77	3.18	18	3.70	3.39	3.81
16	3.17	2.89	3.31	20	3.83	3.52	3.94
18	3.27	3.02	3.43	22	3.93	3.65	4.07
20	3.39	3.15	3.56	24	4.02	3.77	4.19
22	3.49	3.27	3.69	26	4.12	3.90	4.32
24	3.59	3.39	3.81	28	4.22	4.02	4.44
26	3.69	3.52	3.94	30	4.32	4.15	4.57
28	3.79	3.64	4.06	32	4.52	4.28	4.69
30	3.89	3.77	4.19	36	4.73	4.53	4.94
24x12	2.91	2.70	3.12	36x16	3.66	3.33	3.75
14	3.00	2.83	3.25	18	3.76	3.46	3.87
16	3.23	2.95	3.37	20	3.90	3.59	4.00
18	3.33	3.08	3.50	22	4.00	3.71	4.13
20	3.46	3.21	3.63	24	4.09	3.84	4.25
22	3.56	3.33	3.75	26	4.19	3.96	4.38
24	3.66	3.46	3.87	28	4.29	4.08	4.50
26	3.75	3.58	4.00	30	4.39	4.21	4.63
28	3.85	3.70	4.12	32	4.59	4.34	4.76
30	3.95	3.84	4.25	36	4.80	4.59	5.00
26x12	2.97	2.77	3.18	R-411 Frame has 1 $\frac{1}{8}$ x4 $\frac{1}{2}$ outside casing. All frames are solid sill construction.			
14	3.06	2.89	3.31				
16	3.29	3.02	3.43				
18	3.39	3.14	3.56				
20	3.53	3.27	3.69				
22	3.62	3.39	3.81				
24	3.72	3.52	3.94				
26	3.81	3.64	4.07				
28	3.92	3.77	4.19				
30	4.01	3.90	4.31				

See next page for extras.

FREIGHT ALLOWED 150 pounds or more

Andersen and Qualitybilt Pine Window Frames

EXTRAS

Andersen patented weatherstrip parting stop, add 30% of drip cap frame price.

Frames for stucco construction made by adding stucco mould No. 8522 and wide drip cap.....	Add	\$0.53
For bevel casing for stucco.....	Add	.53
Crown Mould Cap Attachment.....	Add	.45
Box frames for 1 3/4-inch windows.....	Add	.75
Cutting down width of jambs.....	Add	.60
Larger sizes, for each 2 inches width or height.....	Add	.15
Intermediate sizes for single frame.....	Add	.60
For brick arch.....	Add	.45
Mullion Frames, 5 1/2-inch Mullion twice price of single.....	Plus	.30
Triple Frames, 5 1/2-inch Mullion three times price of single.....	Plus	.78

Frames over 48x40 take special price.

R-302—A-802

Door Frames

Plain Drip Cap. Door Frame for 2x4 Stud Wall

Pine Sill. Jambs 1 3/8x5 5/16 rabbeted 1 3/8 or 1 3/4.

Head and Sill Bundle { 2-8	\$1.64
{ 3-0	1.72
Side Jambs and Casings { 6-8	3.06
{ 7-0	3.25
For Oak Sill instead of Pine, add.....	.76
Transoms not over 2-0 high, add.....	2.30
Frames for stucco construction made by adding Stucco Mould No. 8522 and Wide Drip Cap, add.....	.60
For bevel casing for stucco, add.....	.60
For Circle Top, add.....	9.75
For Segment Top Plain Cap.....	4.50
For Segment Top, Molded Cap.....	6.00

A-852

Door Frame for Brick Veneer

1 1/2x2 brick mould, 1 3/8x6 1/16 jambs. No sill.

Sizes up to 3-0x7-0 Rab. 1 3/8 or 1 3/4.....	\$3.94
Add for Oak Sill.....	1.50
Add for Pine Sill.....	.74

A-872

Plank Door Frame

with 1 1/2x2 S4S brick mould. Rabbeted 1 3/8 or 1 3/4 to receive door size 3-0x7-0 and under K. D. No sill.

	Square	Circle Top
Jambs 1 3/8x5 5/8.....	\$3.36	\$11.98
Jambs 1 3/8x7 1/2.....	5.00	15.17
Jambs 1 3/8x9 1/2.....	6.35	18.57
Transoms up to 20 inches add—		
Jambs 1 3/8x5 5/8.....		2.15
Jambs 1 3/8x7 1/2.....		2.75
Jambs 1 3/8x9 1/2.....		3.15
Brick Arch, add.....		.45

A-881

Garage Door Frame

Opening up to 8-0x8-0

1 5/8x5 1/4 Jambs with Brick Mould.....	\$4.50
1 5/8x5 1/4 Jambs with Drip Cap & Casing.....	5.63

FREIGHT ALLOWED 150 pounds or more

Casement Sash Frames

Bundled Like Window Frames

A. 701

Width of Opening	Opening Heights of Sash							Head & Sill Bdl.
	2-5	2-11 1/2	3-5 1/2	3-9 3/4	3-11 1/2	4-5 3/4	5-1 3/4	
1-8	\$2.62	\$2.87	\$3.06	\$3.19	\$3.25	\$3.44	\$3.68	\$1.38
1-10	2.69	2.94	3.13	3.26	3.32	3.51	3.75	1.45
2-0	2.75	3.00	3.19	3.32	3.38	3.58	3.81	1.51
2-2	2.82	3.07	3.26	3.39	3.45	3.65	3.88	1.58
2-4	2.88	3.13	3.32	3.45	3.51	3.71	3.94	1.64
2-6	2.94	3.19	3.38	3.51	3.57	3.77	4.00	1.70
2-8	3.00	3.25	3.44	3.57	3.63	3.83	4.06	1.76
2-10	3.06	3.31	3.50	3.63	3.69	3.89	4.12	1.82
3-4	3.26	3.51	3.70	3.83	3.89	4.09	4.32	2.02
3-8	3.38	3.63	3.82	3.95	4.01	4.21	4.44	2.14
4-0	3.51	3.76	3.95	4.08	4.14	4.34	4.57	2.27
Side Bdl.	1.24	1.49	1.68	1.81	1.87	2.06	2.30	

A. 701 Frame Prices for plain drip cap 2x4 stud construction are shown above for all 1 3/8" Casement and Porch Enclosure Sash listed in this book for INSWINGING SASH.

SASH FRAME EXTRAS

Frame Construction

Outswinging sash add to A. 701 \$0.21

Brick Veneer Construction

Inswinging sash add to A. 701 \$0.45

Outswinging sash add to A. 70166

Masonry Construction

Inswinging sash add to A. 701 \$0.21

Outswinging sash add to A. 70130

Mullion Sash Frames twice price of single and add.30

Triple Sash Frames three times price of single and add.78

A. 551

Plank Cellar Sash Frames

1 1/8x2 Brick Mould K. D.

Sizes up to 2-10x1-11—Jambs 1 3/8x5 1/2 \$1.53

2-10x2- 5—Jambs 1 3/8x5 1/2 1.66



A. 608

Barn and Garage Frame

Semi K. D. for 1 1/8 sash. Fits between studding set 24" on centers.

8x10, 4-Lt. opg. 1-8x2-1 each \$1.49

9x12, 4-Lt. opg. 1-9 1/4x2-5 each 1.56


FREIGHT ALLOWED 150 pounds or more

W. P. Mouldings

Crown Mould and Bed



7001—	$\frac{3}{4} \times 1 \frac{3}{4}$	\$2.10
7002—	$\frac{3}{4} \times 2 \frac{1}{4}$	2.64
7003—	$\frac{3}{4} \times 2 \frac{3}{4}$	3.51
7004—	$\frac{3}{4} \times 3 \frac{1}{4}$	4.11
7005—	$\frac{3}{4} \times 3 \frac{5}{8}$	4.68
7007—	$\frac{3}{4} \times 4 \frac{5}{8}$	6.45
8006—	$\frac{3}{4} \times 4 \frac{1}{4}$	5.58



7011—	$\frac{3}{4} \times 2 \frac{1}{4}$	\$2.64
7012—	$\frac{3}{4} \times 2 \frac{3}{4}$	3.51
7013—	$\frac{3}{4} \times 3 \frac{1}{4}$	4.11
7014—	$\frac{3}{4} \times 3 \frac{5}{8}$	4.68
7015—	$\frac{3}{4} \times 4 \frac{1}{4}$	5.58
7016—	$\frac{3}{4} \times 4 \frac{5}{8}$	6.45




7024—	$\frac{3}{4} \times 2$	\$2.37
7025—	$\frac{3}{4} \times 2 \frac{1}{4}$	2.64
7026—	$\frac{3}{4} \times 2 \frac{3}{4}$	3.51
7027—	$\frac{3}{4} \times 3 \frac{1}{4}$	4.11




7023—	$\frac{3}{4} \times 1 \frac{3}{4}$	\$2.10
-------	------------------------------------	-------	--------

Sprung Cove Mould



7035—	$\frac{3}{4} \times 1 \frac{3}{4}$	\$2.10
7036—	$\frac{3}{4} \times 2 \frac{1}{4}$	2.64

Bed Mould



Sprung Bed Mould



7047—	$\frac{3}{4} \times 1 \frac{1}{16}$	\$1.32
7048—	$\frac{3}{4} \times 1 \frac{5}{16}$	1.86
7049—	$1 \frac{1}{16} \times 1 \frac{5}{16}$	3.06
7050—	$1 \frac{1}{16} \times 1 \frac{7}{8}$	3.87
8045—	$\frac{3}{4} \times 1 \frac{1}{2}$	2.00
8048—	$1 \frac{5}{8} \times 2$	6.50

7055—	$\frac{3}{4} \times 1 \frac{3}{4}$	\$2.10
8030—	$\frac{3}{4} \times 2 \frac{1}{4}$	2.64
8032—	$\frac{3}{4} \times 2$	2.37

Prices per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%

FREIGHT ALLOWED 150 pounds or more


W. P. Mouldings

Cove Mould



7032— $\frac{3}{4}$ x $\frac{7}{8}$	\$1.05
7033— $\frac{3}{4}$ x $1\frac{1}{16}$	1.32

Quarter Round



7083— $\frac{1}{2}$ x $\frac{1}{2}$	\$0.84
7084— $\frac{5}{8}$ x $\frac{5}{8}$99
7085— $\frac{3}{4}$ x $\frac{3}{4}$	1.05
8066 $\frac{1}{2}$ — $1\frac{1}{16}$ x $1\frac{1}{16}$	2.22

Nosing Moulds



7511— $1\frac{1}{16}$ x $1\frac{5}{8}$	\$3.87
7512— $1\frac{5}{16}$ x $2\frac{1}{4}$	5.85

Band Mould




8176— $\frac{3}{4}$ x $\frac{3}{4}$	\$2.10
---	--------



8177— $\frac{3}{4}$ x2.....	\$2.37
-----------------------------	--------

Fence Cap Mould



8271— $\frac{3}{4}$ x $1\frac{3}{4}$	\$2.10
8272— $1\frac{1}{16}$ x2.....	4.41

Lattice



7501— $\frac{5}{16}$ x $1\frac{1}{8}$	\$0.81
7502— $\frac{5}{16}$ x $1\frac{3}{8}$	1.05
7503— $\frac{5}{16}$ x $1\frac{3}{4}$	1.47

Blind Stop
Parting Stop




7461— $\frac{1}{2}$ x $\frac{3}{4}$	\$0.99
7463— $\frac{3}{4}$ x $1\frac{1}{4}$	1.59

Drip Cap




7481A— $\frac{3}{4}$ x $1\frac{5}{8}$	\$2.10
7481— $1\frac{1}{16}$ x $1\frac{5}{8}$	3.87
7482— $1\frac{1}{16}$ x2.....	4.41
7483— $1\frac{1}{16}$ x $2\frac{1}{2}$	5.34

Baluster Stock



7551— $\frac{3}{4}$ x $\frac{3}{4}$	\$1.20
7552— $1\frac{1}{16}$ x $1\frac{1}{16}$	2.22
7553— $1\frac{5}{16}$ x $1\frac{5}{16}$	4.11
7554— $1\frac{5}{8}$ x $1\frac{5}{8}$	6.45

Brick Mould



7061— $1\frac{1}{16}$ x2.....	\$4.41
-------------------------------	--------

Prices per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%

FREIGHT ALLOWED 150 pounds or more

Window Frame Stock



7463

7461

7465

Window Frame Stock

Design	Size	Y. P.	W. P.
7461	$\frac{1}{2} \times \frac{3}{4}$	\$0.90	\$0.99
7463	$\frac{3}{4} \times 1 \frac{1}{4}$	1.59
7465	$\frac{3}{4} \times 4 \frac{1}{2}$	5.52

Water Drip



8503

8503— $\frac{3}{4} \times 1 \frac{1}{2}$\$1.90

Stucco Mould



8522

8522— $\frac{3}{4} \times 1 \frac{3}{8}$\$1.90

W. P. Mouldings

Pine Screen Material



7092— $\frac{5}{16} \times \frac{5}{8}$\$0.72
7093— $\frac{3}{8} \times 1 \frac{1}{16}$84
7094— $\frac{1}{2} \times 1$ 1.26



7103— $\frac{5}{16} \times \frac{5}{8}$\$0.72
7104— $\frac{3}{8} \times \frac{3}{4}$84




7102— $\frac{1}{4} \times \frac{3}{4}$\$0.72



8612

8613

8612— $\frac{1}{2} \times \frac{3}{4}$\$1.13
8613— $\frac{3}{4} \times 1 \frac{3}{4}$ 2.07



8614 — $\frac{3}{4} \times 1 \frac{3}{4}$\$2.07
8615 — $\frac{3}{4} \times 2 \frac{3}{4}$ 3.15
8616 — $1 \frac{1}{8} \times 2$ 4.32
8616 $\frac{1}{2}$ — $1 \frac{1}{8} \times 1 \frac{3}{4}$ 3.75
8617 — $1 \frac{1}{8} \times 3$ 6.50
8619 — $1 \frac{1}{8} \times \frac{3}{4}$ 1.35
8620 — $1 \frac{1}{8} \times 4$ 9.00

W. P. Glass Beads




7171— $\frac{1}{4} \times \frac{1}{2}$\$0.63
8561— $\frac{1}{4} \times \frac{3}{8}$63



7174 — $\frac{3}{8} \times \frac{1}{2}$\$0.75
8562A— $\frac{3}{16} \times \frac{3}{8}$75



7172 — $\frac{3}{8} \times \frac{7}{16}$\$0.84
8563C— $\frac{1}{2} \times \frac{3}{4}$99



7175 — $\frac{1}{2} \times \frac{9}{16}$\$0.84
7175A— $\frac{3}{8} \times \frac{3}{8}$84
8571 — $\frac{3}{8} \times \frac{5}{8}$99

Prices per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%

FREIGHT ALLOWED 150 pounds or more

Interior Trim

Prices per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%



Cove Moulds

Design	Size	Y. P.	Gum	Oak	Birch
7032	$\frac{3}{4} \times \frac{7}{8}$	\$0.96	\$1.80	\$2.40	\$2.10
7033	$\frac{3}{4} \times 1 \frac{1}{16}$	1.20



Quarter Round and Full Round

Design	Size	Y. P.	Gum	Oak	Birch
7083	$\frac{1}{2} \times \frac{1}{2}$	\$0.75
7084	$\frac{5}{8} \times \frac{5}{8}$.90
7085	$\frac{3}{4} \times \frac{3}{4}$.96	\$1.80	\$2.40	\$2.10
7542	$1 \frac{1}{16}$ F. R.	2.40
7543	$1 \frac{5}{16}$ F. R.	4.20

Window and Door Stop



Design	Size	Y. P.
7222	$\frac{3}{8} \times 1 \frac{1}{16}$	\$0.93
7223	$\frac{3}{8} \times 1 \frac{3}{8}$	1.05
7224	$\frac{3}{8} \times 1 \frac{5}{8}$	1.32
7225	$\frac{1}{2} \times 1 \frac{1}{16}$	1.17
7226	$\frac{1}{2} \times 1 \frac{3}{8}$	1.41
7227	$\frac{1}{2} \times 1 \frac{5}{8}$	1.89
7228	$\frac{1}{2} \times 1 \frac{7}{8}$	2.13

Design	Size	Y. P.	Gum	Oak	Birch
7241	$\frac{1}{2} \times 1 \frac{1}{16}$	\$1.17
7242	$\frac{1}{2} \times 1 \frac{3}{8}$	1.41	\$2.70	\$3.60	\$3.15
7243	$\frac{1}{2} \times 1 \frac{5}{8}$	1.89	3.60	4.80	4.20
7244	$\frac{1}{2} \times 1 \frac{7}{8}$	2.13	4.05	5.40	4.74
7245	$\frac{1}{2} \times 2 \frac{1}{4}$	2.37	4.50	6.00	5.25

Hook Strip



8234

Wainscot Cap



7146

Shelf Cleat



7268

Panel Strips



7121

Design	Size	Y. P.
7121	$\frac{5}{16} \times 1 \frac{5}{8}$	\$1.35
7146	$\frac{3}{4} \times 2 \frac{3}{4}$	3.42
7268	$\frac{3}{4} \times 1 \frac{7}{8}$	2.37
8234	$\frac{5}{8} \times 2 \frac{1}{2}$	2.61

FREIGHT ALLOWED 150 pounds or more

Interior Trim

Prices per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%


Picture Mould


7261

Corner Bead


7265

Design	Size	Y. P.	Gum	Oak	Birch
7261	$\frac{3}{4} \times 1 \frac{3}{4}$	\$1.89	\$3.60	\$4.80	\$4.20
7265	$1 \frac{5}{16} \times 1 \frac{5}{16}$	3.96	6.75	9.00

Window Stool


7311 Rabt. $1 \frac{1}{2}$ "
 7312 Rabt. $1 \frac{1}{2}$ "
 7313 Rabt. $2 \frac{1}{8}$ "
 7314 Rabt. $3 \frac{5}{8}$ "
 8267B Rabt. $1 \frac{1}{2}$ "

Sash Stool


8267C

Apron


7306
7307

Window and Sash Stool

Design	Size	Y. P.	Gum	Oak	Birch
7311	$\frac{3}{4} \times 3 \frac{3}{8}$	\$ 4.11	\$ 6.30	\$ 8.40	\$ 7.35
7312	$1 \frac{1}{16} \times 3 \frac{5}{8}$	6.93	11.88	15.84	13.86
7313	$1 \frac{1}{16} \times 4 \frac{1}{4}$	8.25	14.13	18.84	16.50
7314	$1 \frac{1}{16} \times 5 \frac{1}{4}$	10.41
8267B	$1 \frac{1}{16} \times 7 \frac{1}{4}$	13.96	23.76	31.68
8267C	$1 \frac{1}{16} \times 1 \frac{3}{4}$	3.96	6.75	9.00	7.89


Apron

7306	$\frac{5}{8} \times 3 \frac{5}{8}$	\$4.11	\$7.56	\$10.08	\$8.82
7307	$\frac{3}{4} \times 3 \frac{5}{8}$	4.11	7.56	10.08	8.82

FREIGHT ALLOWED 150 pounds or more

Interior Trim

Prices per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%




Cap Mould					
Design	Size	Y. P.	Gum	Oak	Birch
7162.....	1 1/16x2	\$3.96	\$6.75	\$9.00
Head Casing					
7335.....	3/4x4 1/2	\$5.04	\$9.45	\$12.60	\$11.04
Fillet					
7186.....	7/16x1 1/16	\$1.05	\$1.98	\$2.64
Back Band					
7149 Rab. for 5/8 casing	3/4x1 1/16	\$1.44
7150 Rab. for 3/4 casing	3/4x1 1/16	1.44	\$2.70	\$3.60	\$3.15
7151 Rab. for 3/4 casing	1 1/16x1 1/16	2.25	4.23	5.64	4.95
8378 1/2 Rab. for 5/8 casing	1 1/16x1 7/8	1.44	2.70	3.60	3.15
8703 Rab. for 5/8 casing	1 1/16x1 1/16	1.44	2.70	3.60	3.15
Casing					
7345.....	5/8x3 5/8	\$4.11	\$7.56	\$10.08	\$8.82
7346.....	3/4x3 5/8	4.11	7.56	10.08	8.82
7347.....	5/8x4 1/4	5.70
8704.....	5/8x3 5/8	4.11	7.56	10.08	8.82
Mullion Casing					
May also be used as base					
7349.....	3/4x5 1/2	\$6.24	\$11.70	\$15.60
8640 1/2.....	5/8x5 1/2	6.24	11.70	15.60	\$13.65
Chair Rail					
8639.....	1 1/2x3	\$3.42	\$5.85	\$7.80	\$6.84
Panel Strips					
8499.....	3/8x2 1/4	\$2.37	\$4.50	\$6.00

FREIGHT ALLOWED 150 pounds or more

Interior Trim

Prices per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%



Casing, Base Mould, Base and Shoe

Design	Size	Y. P.	Gum	Oak	Birch
7073	$\frac{1}{2} \times \frac{3}{4}$	\$0.90	\$ 1.80	\$2.40	\$ 2.10
7141	$\frac{5}{8} \times 1 \frac{3}{4}$	2.13	4.05	5.40	4.74
7142	$\frac{3}{4} \times 1 \frac{3}{4}$	2.13
7143	$\frac{3}{4} \times 2 \frac{1}{4}$	2.61
7385	$\frac{3}{4} \times 4 \frac{1}{4}$	5.70
7386	$\frac{3}{4} \times 5 \frac{1}{2}$	6.24
7387	$\frac{3}{4} \times 7 \frac{1}{4}$	8.28
7391	$\frac{5}{8} \times 5 \frac{1}{2}$	6.24	11.70	15.60	13.65
7393	$\frac{3}{4} \times 5 \frac{1}{2}$	6.24
7398	$\frac{3}{4} \times 7 \frac{1}{4}$	8.28
7431	$\frac{5}{8} \times 5 \frac{1}{2}$	6.24	11.70
7432	$\frac{5}{8} \times 7 \frac{1}{4}$	8.28	14.40	19.20	16.80
7435	$\frac{3}{4} \times 7 \frac{1}{4}$	8.28	14.40	19.20	16.80
8421	$\frac{3}{4} \times 7 \frac{1}{4}$	8.28

Panel Mould


Panel Mould

R-4611



R-4611

Size	Y. P.	Gum	Oak	Birch
R-4611 $\frac{1}{2} \times 1 \frac{1}{8}$Per C Feet	\$1.55	\$2.96	\$3.96	\$3.45



R-4614

Cornice Mould


R-4615

Cove Members R-4614— $\frac{3}{4} \times 4 \frac{1}{8}$
Other Members R-4613— $\frac{5}{8} \times 2 \frac{1}{2}$

	Y. P.	Gum	Oak	Birch
R-4613 Only.....	\$2.61	\$4.95	\$ 6.60	\$ 5.79
R-4614 Only.....	5.70	9.00	12.00	10.50
R-4615 Complete...	10.92	20.90	25.20	22.08

FREIGHT ALLOWED 150 pounds or more

Inside Door Jambs



$\frac{3}{4} \times 5 \frac{3}{8}$ —K. D.

No Stops

	2-8x6-8	3-0x7-0
Yellow Pine.....	\$1.13	\$1.20
White Pine.....	1.50	1.59
Gum.....	1.59	1.74
Plain Oak.....	2.49	2.79
Birch.....	2.35	2.68

Circle Head No Stops Add \$8.04

With Stops No. 7243

	2-8x6-8	3-0x7-0
Yellow Pine.....	\$1.58	\$1.65
White Pine.....	1.95	2.04
Gum.....	2.04	2.19
Plain Oak.....	3.45	3.78
Birch.....	3.39	3.69

Circle Head with Stops Add \$10.75

Lineal Jamb Stock



8397 $\frac{1}{2}$

Size	Y. P.	Gum	Oak	Birch
8397 $\frac{1}{2}$ — $\frac{3}{4} \times 5 \frac{3}{8}$	\$6.24	\$11.70	\$15.60	\$13.65

Base Blocks

R-3200



R-3200

Size	Y. P.	Gum	Oak	Birch
$\frac{7}{8} \times 3 \frac{5}{8} \times 9''$	\$12.00	\$15.00	\$20.00	\$20.00
$1 \frac{1}{8} \times 3 \frac{3}{4} \times 10''$	18.00	23.00	27.00	24.00
$1 \frac{1}{8} \times 4 \frac{1}{4} \times 10''$	18.00	23.00	27.00

Corner Beads



Size	Y. P.	Gum	Oak
R-3216— $1 \frac{5}{16} \times 1 \frac{5}{16}$ —4-0.....	Each \$0.27	\$0.30	\$0.45

Oak Inside Thresholds



R-7286

Oak Outside Thresholds



R-7287

R-7286 $\frac{5}{8} \times 3 \frac{5}{8} \times 3$ —1.....	Each \$0.24	R-7287 $\frac{5}{8} \times 3 \frac{5}{8} \times 3$ —1.....	Each \$0.24
R-7286 Long lengths. Per C ft.	10.50	R-7287 Long lengths. Per C ft.	10.50

FREIGHT ALLOWED 150 pounds or more

Window and Door Trim

Priced Per Side — Cut to Lengths
All Tied in Bundles — Ready for Use on Job
Casing Not Figured to Mitre

Back Band

R3501

Side Casing	$\frac{3}{4} \times 3 \frac{5}{8}$	No. 7346
Head Casing	$\frac{3}{4} \times 3 \frac{5}{8}$	No. 7307
Back Band	$1 \frac{1}{16} \times 1 \frac{1}{16}$	No. 7151
Stool	$1 \frac{1}{16} \times 3 \frac{5}{8}$	No. 7312
Apron	$\frac{3}{4} \times 3 \frac{5}{8}$	No. 7307
Window Stop	$\frac{1}{2} \times 1 \frac{3}{8}$	No. 7242

Window Openings Two Light	Y. P.	Gum	Oak	Birch
20x20 and under....	\$1.51	\$2.77	\$3.70	\$3.27
22x22 to 26x26.....	1.84	3.36	4.45	3.90
28x28 to 30x30.....	2.04	3.74	4.91	4.33
Each foot wider, add.	.30	.36	.60	.54
Each foot higher, add	.18	.33	.50	.45
Door Openings No Stops				
2-8x6-8 and under..	1.29	2.49	3.30	2.89
2-10x6-8 to 3-0x7-0	1.36	2.67	3.51	3.06
Each foot wider, add.	.15	.21	.30	.27
Each foot higher, add	.24	.30	.45	.52
Circle Head Door Trim, add.....	6.75	7.50	8.25	8.25

Peak Head

R3503

Side Casing	$\frac{5}{8} \times 3 \frac{5}{8}$	No. 7345
Head Casing	$\frac{3}{4} \times 4 \frac{5}{8}$	Peak Head
Stool	$1 \frac{1}{16} \times 3 \frac{5}{8}$	No. 7312
Apron	$\frac{5}{8} \times 3 \frac{5}{8}$	No. 7306
Window Stop	$\frac{1}{2} \times 1 \frac{3}{8}$	No. 7242
Base Blocks	$\frac{7}{8} \times 3 \frac{5}{8} \times 9$	R-3200

Window Openings Two Light	Y. P.	Gum	Oak	Birch
20x20 and under....	\$1.65	\$3.04	\$4.07	\$3.59
22x22 to 26x26.....	2.02	3.70	4.90	4.29
28x28 to 30x30.....	2.24	4.11	5.40	4.76
Each foot wider, add.	.30	.36	.60	.54
Each foot higher, add	.18	.33	.50	.45
Door Openings No Stops				
2-8x6-8 and under..	1.41	2.74	3.63	3.18
2-10x6-8 to 3-0x7-0	1.49	2.93	4.96	3.36
Each foot wider, add.	.15	.21	.30	.27
Each foot higher, add	.24	.30	.45	.52

Back Band

R3502

Side Casing	$\frac{5}{8} \times 3 \frac{5}{8}$	No. 7345
Head Casing	$\frac{5}{8} \times 3 \frac{5}{8}$	No. 7306
Back Band	$\frac{3}{4} \times 1 \frac{1}{16}$	No. 8378 $\frac{1}{2}$
Stool	$1 \frac{1}{16} \times 3 \frac{5}{8}$	No. 7312
Apron	$\frac{5}{8} \times 3 \frac{5}{8}$	No. 7306
Window Stop	$\frac{1}{2} \times 1 \frac{3}{8}$	No. 7242

Window Openings Two Light	Y. P.	Gum	Oak	Birch
20x20 and under....	\$1.40	\$2.52	\$3.36	\$3.05
22x22 to 26x26.....	1.70	3.06	4.05	3.60
28x28 to 30x30.....	1.90	3.50	4.60	4.15
Each foot wider, add.	.30	.36	.60	.54
Each foot higher, add	.18	.33	.50	.45
Door Openings No Stops				
2-8x6-8 and under..	1.17	2.16	2.88	2.52
2-10x6-8 to 3-0x7-0	1.27	2.31	3.06	2.67
Each foot wider, add.	.15	.21	.30	.27
Each foot higher, add	.24	.30	.45	.52
Circle Head Door Trim, add.....	6.75	7.50	8.25	8.25

Economy

R3504

Side Casing	$\frac{5}{8} \times 3 \frac{5}{8}$	No. 7345
Head Casing	$\frac{3}{4} \times 3 \frac{5}{8}$	No. 7307
Stool	$\frac{3}{4} \times 3 \frac{5}{8}$	No. 7311
Apron	$\frac{5}{8} \times 3 \frac{5}{8}$	No. 7306
Window Stop	$\frac{1}{2} \times 1 \frac{3}{8}$	No. 7242
Base Blocks	$\frac{7}{8} \times 3 \frac{5}{8} \times 9$	R-3200

Window Openings Two Light	Y. P.	Gum	Oak	Birch
20x20 and under....	\$1.20	\$2.15	\$2.85	\$2.60
22x22 to 26x26.....	1.45	2.60	3.45	3.06
28x28 to 30x30.....	1.60	3.00	3.91	3.53
Each foot wider, add.	.24	.36	.52	.52
Each foot higher, add	.15	.33	.48	.48
Door Openings No Stops				
2-8x6-8 and under..	1.01	1.96	2.46	2.15
2-10x6-8 to 3-0x7-0	1.09	2.06	2.60	2.27
Each foot wider, add.	.12	.18	.24	.24
Each foot higher, add	.18	.24	.36	.36

Astragals


	Pine	Oak	Birch
T Astragal.....	$1 \frac{3}{4} \times 7-0$ Door \$0.90		
T Astragal.....	$1 \frac{3}{4} \times 7-0$ Door 1.05	\$1.95	\$1.95
T Astragal.....	$1 \frac{3}{4} \times 8-0$ Door 1.20		

Sink Trim

	Price
Oak Drip Board, Fluted Top, 24x24.....	\$1.80
Oak Drip Board, Fluted Top, 24x30.....	2.60
Oak Drip Board, Fluted Top, 24x36.....	3.00
Oak Sink Legs, Turned, $1 \frac{1}{4} \times 30$, Each.....	.68
Oak Sink Capping, $\frac{3}{4} \times 3 \frac{1}{4}$, per Foot.....	.14

FREIGHT ALLOWED 150 pounds or more

Colonial Trim



Design	Size	Selected Red Gum	W. Pine
1. Casing to Mitre.....	$\frac{3}{4} \times 3 \frac{1}{4}$	\$ 9.90	\$ 4.75
2. Stop.....	$\frac{1}{2} \times 1 \frac{3}{8}$	3.60	1.70
4. Stop.....	$\frac{1}{2} \times 2 \frac{1}{4}$	5.95	2.85
5. Mullion Casing.....	$\frac{1}{2} \times 5 \frac{1}{2}$	15.50	7.35
6. Stool.....	$\frac{3}{4} \times 3 \frac{5}{8}$	9.90	4.75
7. Apron.....	$\frac{3}{4} \times 3$	7.60	3.65
8. Base and Ceiling Moulds.....	$\frac{3}{4} \times 1 \frac{5}{8}$	5.35	2.55
9. Base.....	$\frac{1}{2} \times 4 \frac{1}{2}$	12.60	6.25
10. Picture Mould.....	$\frac{3}{4} \times 1 \frac{3}{4}$	4.80	2.25
11. Cove Mould.....	$\frac{3}{4} \times 3 \frac{1}{2}$	9.90	4.75
12. Base Shoe.....	$\frac{1}{2} \times \frac{3}{4}$	2.40	1.15

Priced per Side

	Selected Red Gum	W. Pine
Casing No. 1, Stop No. 2, Stool No. 6, Apron No. 7		
Two Light Window Trim up to 32x32.....	\$3.50	\$1.75
Circle or Tudor Head—add.....	6.00	5.00
For Each Foot Wider or Higher—add.....	.30	.15
Dr. Trim up to 3-0x7-0.....	2.20	1.15
Circle or Tudor Head—add.....	4.75	3.90

Inside Door Jambs

$\frac{3}{4} \times 5 \frac{3}{8}$ K. D. Sanded

Without Stops.....	2-8x6-8.....	\$ 2.65	\$ 1.50
Without Stops.....	3-0x7-0.....	2.85	1.60
Without Stops.....	Circle or Tudor Head—add.....	12.00	9.00
With Stop No. 2.....	2-8x6-8.....	3.54	1.95
With Stop No. 2.....	3-0x7-0.....	3.75	2.04
With Stop No. 2.....	Circle or Tudor Head—add.....	16.50	11.00

Moulding Price per 100 Lineal Feet—Random Lengths
Specified Lengths add 10%

FREIGHT ALLOWED 150 pounds or more

Disappearing Stairway

Concealed When Not in Use



The Victor—R-1756
Patented


Substantial—Serviceable

For Use Where Space Is Limited

Operation—Stair slides through ceiling on rollers attached to ceiling door. Weight is counterbalanced by two long coil springs—sliding action is controlled by a heavy cord on a friction brake. Stair cannot slide down accidentally.

Measurements—See key.

A—Opening in ceiling; rough opening, 2'-6" x 4'-8"; finished opening, 2'-4" x 4'-6".



C Ceiling Heights	D Projection Into Room	B Projection Into Attic
7'-4"	5'- 0"	4'-6"
7'-6"	5'- 3"	5'-3"
8'-0"	5'- 7"	5'-9"
8'-6"	5'-10"	6'-6"
9'-0"	5'-10"	6'-6"

All Victors are shipped for 9'-0" ceilings.

For lower ceilings reduce by cutting off bottom of stairs.

Specifications—Complete stairway includes 1 1/8" ceiling door with W. P. S. & R. 3-ply panels, fir one side, birch one side; 3/4"x4" Y. P. stringers housed to receive 3/4"x5" W. P. treads. Rigid hand rail with supports. No jambs or trim included.

Hardware—Complete hardware including brackets, coil springs, hinges, screws, etc., furnished. All black japanned.

Finishing—Stair stained a serviceable brown. Ceiling door not stained as this is usually painted to match ceiling.

Packing—Shipped K. D. in dustproof cartons. Complete instructions for installing included.

Approximate Shipping Weight—110 lbs.

R-1756—Victor—For 7'-6" to 9'-0" ceiling.....\$37.50

FREIGHT ALLOWED 150 pounds or more

Stair Parts



Stair String

	Y. P.	Oak	Birch
R-1924— $\frac{3}{4}$ x11, not housed, per ft.	\$0.21	\$0.36	\$0.36


Treads and Risers

R-1925—Tread, $1\frac{1}{8}$ x $11\frac{1}{2}$ ", 3'-6" long.	\$1.36	\$2.05	\$1.95
R-1925—Tread, $1\frac{1}{8}$ x $11\frac{1}{2}$ ", 4'-0" long.	1.80	2.40	2.25
R-1926—Riser, $\frac{3}{4}$ x $7\frac{1}{2}$ ", 3'-6" long.66	.90	.75
R-1926—Riser, $\frac{3}{4}$ x $7\frac{1}{2}$ ", 4'-0" long.78	1.05	.87

Landing Tread or Nosing

R-1930— $1\frac{1}{8}$ x3 $\frac{5}{8}$ —4'	\$0.60	\$0.81	\$0.78
---	--------	--------	--------

Half Circle End—For Colonial Stairs




R-1944

For Use with Volute R-1900

Made with $11\frac{1}{2}$ " reversible treads, good two sides, for right or left hand turn. Not grooved for riser. Risers are $7\frac{1}{4}$ " high. One tread, one riser and cove included.
 R-1944—4-6 overall for 3-6 stairs. Birch only..... \$9.75
 R-1944—4-6 overall for 3-6 stairs. Oak tread, birch riser..... 9.75

Half Circle End Tread and Riser



R-1948

Made with $11\frac{1}{2}$ " reversible treads, good two sides, for right or left hand turn. Not grooved for riser. Risers are $7\frac{1}{4}$ " high. One tread, one riser and cove included. Made 4' 6" overall.

	Y. P.	Oak	Birch
R-1948—Circle End Tread, $11\frac{1}{2}$ " Tread, $7\frac{1}{4}$ " Riser, 3-6 Stairs.....	\$9.00	\$10.65	\$10.05



Colonial
Stairs of
Roberts
Standardized
Stair
Parts

FREIGHT ALLOWED 150 pounds or more—No crating charges


Colonial Stairwork
Carried in Stock—In Birch



R-1900—Spiral with Easement attached. \$14.10
State whether Right or Left hand required.



R-1914—Quarterturn on level. \$4.30



R-1863A—Rail— $2\frac{1}{4} \times 2\frac{3}{8}$ per lineal ft. \$0.39



R-1903—Gooseneck with Newel Cap. \$9.15



R-1902—Gooseneck. \$7.80



R-1908—Starting Easement with Newel Cap. \$7.20



R-1910—Down Easement. \$5.55

Note—Rail R-1863A is used with all stair parts shown on this page.

FREIGHT ALLOWED 150 pounds or more—No crating charges


Stair Rail



R-1864



R-1865




R-1867

	Y. P.	Oak	Birch
R-1864—Rail, $2\frac{3}{8} \times 3\frac{3}{4}$ in., per lineal ft.	\$0.42	\$0.54
R-1865—Rail, $2\frac{1}{2} \times 3$ in., per lineal ft.42	.54	\$0.60
R-1867—Round Rail, $1\frac{3}{8}$ in. dia., per lineal ft.12	.24	.24

For selecting lengths add 10 per cent to above prices.

In ordering Rail R-1864 or R-1865 specify size of Balusters, if wanted Rabbeted



R-1828
Shoe Rail



R-1829
Fillet

	Y. P.	Oak
R-1828—Shoe, $\frac{3}{4} \times 2\frac{1}{2}$, per lineal ft.	\$0.06	\$0.12
R-1829—Fillet, $\frac{1}{4} \times 1\frac{3}{8}$, per lineal ft.02	.05
R-1829—Fillet, $\frac{1}{4} \times 1\frac{1}{8}$, per lineal ft.02	.05

For selecting lengths add 10 per cent to above prices.

Balusters



R-1806 R-1818


	Y. P.	Per Lineal Ft. Oak	Birch
R-1806— $1\frac{1}{8} \times 1\frac{1}{8}$	\$0.03	\$0.06	\$0.06
R-1806— $1\frac{3}{8} \times 1\frac{3}{8}$05	.10	...

FOR COLONIAL STAIRS

		Birch
R-1818— $1\frac{1}{4} \times 1\frac{1}{4} \times 2-10$. Each.....		\$0.51
R-1818— $1\frac{1}{4} \times 1\frac{1}{4} \times 3-0$. Each.....		.55
R-1818— $1\frac{1}{4} \times 1\frac{1}{4} \times 3-3$. Each.....		.60

FREIGHT ALLOWED 150 pounds or more—No crating charges

Stair Newels



	Size	Y. P.	Oak	Birch
R-1790 Angle Newel.....	5x5x5-6	\$4.90	\$6.30	\$6.10
R-1760 Starting Newel.....	6x6x4-0	6.50	7.70	7.50
R-1766 Starting Newel.....	6x6x4-0	6.40

FOR COLONIAL STAIRS

R-1782 Starting Newel.....	2 ³ / ₄ x2 ³ / ₄ x3-6	\$4.90
R-1786 Starting Newel.....	2 ¹ / ₂ x2 ¹ / ₂ x3-6	4.45
R-1795 Angle Newel.....	3 ¹ / ₂ x3 ¹ / ₂ x5-6	6.65

Each Newel Packed in Dust-Proof Carton

FREIGHT ALLOWED 150 pounds or more—No crating charges

Fir Columns



R-1887



R-1916




R-1857 1/2

R-1887


Size	Price
4x4 8'	\$1.55
5x5 8'	2.40
5x5 9'	2.69
5x5 10'	3.05
6x6 8'	3.44
6x6 9'	3.87
6x6 10'	4.39

Size	R-1916	R-1857 1/2
6x 6 6'	\$2.85
6x 6 8'	3.54
6x 6 9'	3.87
8x 8 6'	\$3.95	3.95
8x 8 8'	4.88	4.43
8x 8 9'	5.36	5.10
8x 8 10'	5.72	5.69
10x10 6'	4.98	4.98
10x10 8'	6.14	5.93
10x10 9'	6.72	6.72
10x10 10'	7.32	7.28
12x12 6'	5.90	6.77
12x12 8'	7.28	8.13
12x12 9'	8.00	8.90

Fir Roof Brackets



R-3204




R-3207

Size	Thickness	R-3204	R-3207
3-0x3-0	3 1/2"	\$7.60	\$6.21
3-0x3-0	5 1/2"	10.04	8.97

FREIGHT ALLOWED 150 pounds or more—No crating charges


Clear Fir Porch Rail

Top Rail




R-1626

Bottom Rail



R-1625

Top Rail



R-1627

Bottom Rail



R-1630

Design	Per 100 Lin. Feet	Size	Price
R-1625	1 5/8x3 5/8	\$7.35
R-1626	1 5/8x3 5/8	7.35
R-1627	1 5/8x2 5/8	5.63
R-1630	1 5/8x2 5/8	5.63

Colonial Design



R-1629

Shaped to the hand

Design	Size	Price
R-1629	2 5/8x2 5/8	\$10.32

Fir Baluster Stock Long Lengths, Round Edge

Per 100 Lineal Feet

Design	Size	Price
R-1635	3/4x 3/4	\$1.05
R-1636	1 1/8x1 1/8	2.20
R-1637	1 3/8x1 3/8	3.68
R-1638	1 5/8x1 5/8	5.78



Fir—R-1934



Fir—R-1935



Fir—R-1332



Fir—R-1917

Fir Newel R-1934 R-1935

Size	Price
4x4 4'	\$0.80
5x5 4'	1.22
6x6 4'	1.74

Fir Newel R-1332 R-1917

Size	Price
6x6 4'	\$1.91
8x8 4'	2.78

FREIGHT ALLOWED 150 pounds or more—No crating charges

Economy Kitchen Cabinets



R-2701

Width—2'-0".

Height—7'-0"; 8'-6".

Top (7'-0" hgt.), 4'-1".
(8'-6" hgt.), 5'-7".

Recess (7'-0" hgt.), 1'-1 $\frac{3}{8}$ ".
(8'-6" hgt.), 1'-4".

Base, 2'-11".

Depth—Top, 1'-1".
Base, 1'-7".
C. Top, 1'-8 $\frac{1}{2}$ ".

Sash Doors Glazed, Six Lights
with Wood Stops

General Specifications

Clear Pine—Semi-Assembled
Carton Packed

Includes—1 $\frac{1}{8}$ " front frames put together; 1 $\frac{1}{8}$ " doors put together; drawers machined ready for assembling; two finished ends; top, bottom, and two shelves for top section; bottom, one shelf and 1 $\frac{1}{8}$ " counter top for base section; drawer slides, shelf cleats, wall strip, and crown mould (not mitered). No backs or hardware included unless specified. Not painted.

Approx. Ship. Wt.—110 lbs.

8'-6" high cabinets can be reduced by cutting as much as 4" off top and 4" off recess lugs.

For ceiling sections see page 59.

For auxiliary parts see page 60.

Note—One-panel doors are used in upper sections of 7'-0" cabinets.



R-2702

	Sizes	Complete Cabinet	Upper Section	Lower Section	Brass N. P. Hardware add	
					Upper	Lower
R-2701	2-0x7-0	\$16.90	\$ 9.10	\$8.90	\$0.60	\$0.70
	x8-6	18.30	10.50	8.90	.60	.70
R-2702	2-0x7-0	15.40	7.60	8.90	.60	.70
	x8-6	17.30	9.50	8.90	.60	.70

Backs (3-ply) add per sq. ft. \$0.12

FREIGHT ALLOWED 150 pounds or more—No crating charges

Economy Kitchen Cabinets



R-2707

Width—2'-0".
Height—7'-0"; 8'-6".
Top (7'-0" hgt.), 4'-1".
(8'-6" hgt.), 5'-7".
Recess (7'-0" hgt.), 1'-13/8".
(8'-6" hgt.), 1'-4".
Base, 2'-11".
Depth—Top, 1'-1".
Base, 1'-7".
C. Top, 1'-8 1/2".

Sash Doors, Glazed Six Lights
with Wood Stops

General Specifications

Clear Pine—Semi-Assembled
Carton Packed

Includes—1 1/8" front frames put together; 1 1/8" doors put together; drawers machined ready for assembling; two finished ends; top, bottom, and two shelves for top section; 1 1/8" counter top for base section; drawer slides, shelf cleats, wall strip, and crown mould (not mitered) No backs or hardware included unless specified. Not painted.

Approximate Shipping Weight —
110 lbs.

8'-6" high cabinets can be reduced by cutting as much as 4" off top and 4" off recess lugs.

For ceiling sections see page 59.

For auxiliary parts see page 60.

Note—One-panel doors are used in upper sections of 7'-0" cabinets.



R-2708

	Sizes	Complete Cabinet	Upper Section	Lower Section	Brass N. P. Hardware add	
					Upper	Lower
R-2707	2-0x7-0	\$18.90	\$ 9.10	\$10.90	\$0.60	\$0.70
	x8-6	20.30	10.50	10.90	.60	.70
R-2708	2-0x7-0	17.40	7.60	10.90	.60	.70
	x8-6	19.30	9.50	10.90	.60	.70

Backs.(3-ply) add per sq. ft. \$0.12

FREIGHT ALLOWED 150 pounds or more—No crating charges

Economy Kitchen Cabinets



R-2715



R-2716

General Specifications

Clear Pine—Semi-Assembled—Carton Packed

Includes—1 $\frac{1}{8}$ " front frames put together; 1 $\frac{1}{8}$ " doors put together; drawers machined ready for assembling; two finished ends; top, bottom, and two shelves for top section; bottom, one shelf and 1 $\frac{1}{8}$ " counter top for base section; drawer slides, shelf cleats, wall strip, and crown mould (not mitered). No backs or hardware included unless specified. Not painted.

Approximate Shipping Weight—170 lbs.

8'-6" high cabinets can be reduced by cutting as much as 4" off top and 4" off recess lugs.

For ceiling sections see page 59. For auxiliary parts see page 60.

Width—2'-6"; 3'-0"; 3'-6"; 4'-0".

Recess (7'-0" hgt.), 1'-1 $\frac{1}{8}$ ".
(8'-6" hgt.), 1'-4".

Height—7'-0"; 8'-6".
Top (7'-0" hgt.), 4'-1".
(8'-6" hgt.), 5'-7".

Base, 2'-11".
Depth—Top, 1'-1".
Base, 1'-7".
C. Top, 1'-8 $\frac{1}{2}$ ".

	Sizes	Complete Cabinet	Upper Section	Lower Section	Brass N. P. Hardware add	
					Upper	Lower
R-2715	2-6x7-0	\$21.50	\$11.30	\$11.30	\$1.00	\$1.20
	x8-6	23.30	13.10	11.30	1.00	1.20
	3-0x7-0	22.90	12.00	12.00	1.00	1.20
	x8-6	24.60	13.70	12.00	1.00	1.20
	3-6x7-0	24.20	12.60	12.70	1.00	1.20
	x8-6	25.80	14.20	12.70	1.00	1.20
	4-0x7-0	26.20	13.40	13.90	1.00	1.20
	x8-6	27.90	15.10	13.90	1.00	1.20
	2-6x7-0	18.80	8.60	11.30	1.00	1.20
	x8-6	21.10	10.90	11.30	1.00	1.20
R-2716	3-0x7-0	20.20	9.30	12.00	1.00	1.20
	x8-6	22.40	11.50	12.00	1.00	1.20
	3-6x7-0	21.50	9.90	12.70	1.00	1.20
	x8-6	23.70	12.10	12.70	1.00	1.20
	4-0x7-0	23.40	10.60	13.90	1.00	1.20
	x8-6	25.90	13.10	13.90	1.00	1.20

Backs (3-ply) add per sq. ft. \$0.12

FREIGHT ALLOWED 150 pounds or more—No crating charges

Economy Kitchen Cabinets



R-2717



R-2718

General Specifications

Clear Pine—Semi-Assembled—Carton Packed

Includes— $1\frac{1}{8}$ " front frames put together; $1\frac{1}{8}$ " doors put together; drawers machined ready for assembling; two finished ends; top, bottom, and two shelves for top section; bottom, one shelf, $1\frac{1}{8}$ " counter top for base section; drawer slides, shelf cleats, wall strip, and crown mould (not mitered). No backs or hardware included unless specified. Not painted.

Approximate Shipping Weight—170 lbs.

8'-6" high cabinets can be reduced by cutting as much as 4" off top and 4" off recess lugs.

For ceiling sections see page 59. For auxiliary parts see page 60.

Width—2'-6"; 3'-0"; 3'-6"; 4'-0".

Recess (7'-0" hgt.), 1'-1 $\frac{3}{8}$ ".
(8'-6" hgt.), 1'-4".

Height—7'-0"; 8'-6".

Base, 2'-11".

Top (7'-0" hgt.), 4'-1".
(8'-6" hgt.), 5'-7".

Depth—Top, 1'-1".

Base, 1'-7".
C. Top, 1'-8 $\frac{1}{2}$ ".

Note—One-panel Doors are used in upper sections of 7'-0" cabinets.

Sash doors glazed six lights with wood stops.

	Size	Complete Cabinet	Upper Section	Lower Section	Brass N. P. Hardware add	
					Upper	Lower
R-2717	2-6x7-0	\$24.20	\$11.30	\$14.00	\$1.00	\$1.20
	x8-6	26.00	13.10	14.00	1.00	1.20
	3-0x7-0	25.70	12.00	14.80	1.00	1.20
	x8-6	27.40	13.70	14.80	1.00	1.20
	3-6x7-0	27.10	12.60	15.60	1.00	1.20
	x8-6	28.70	14.20	15.60	1.00	1.20
R-2718	4-0x7-0	29.10	13.40	16.80	1.00	1.20
	x8-6	30.80	15.10	16.80	1.00	1.20
	2-6x7-0	21.50	8.60	14.00	1.00	1.20
	x8-6	23.80	10.90	14.00	1.00	1.20
	3-0x7-0	23.00	9.30	14.80	1.00	1.20
	x8-6	25.00	11.50	14.80	1.00	1.20
	3-6x7-0	24.40	9.90	15.60	1.00	1.20
	x8-6	26.60	12.10	15.60	1.00	1.20
	4-0x7-0	26.30	10.60	16.80	1.00	1.20
	x8-6	28.80	13.10	16.80	1.00	1.20

Backs (3-ply) add per sq. ft. \$0.12

FREIGHT ALLOWED 150 pounds or more—No crating charges

Economy Kitchen Cabinets



R-2721

Width—4'-6"; 5'-0".
Height—7'-0"; 8'-6".
Top (7'-0" hgt.), 4'-1".
(8'-6" hgt.), 5'-7".



R-2724

Recess (7'-0" hgt.), 1'-1 3/8".
(8'-6" hgt.), 1'-4".
Base 2'-11".
Depth—Top, 1'-1".
Base, 1'-7".
C. Top, 1'-8 1/2".

Note—One-panel Doors are used in upper sections of 7'-0" cabinets.
Sash doors glazed six lights with wood stops.

General Specifications

Clear Pine—Semi-Assembled—Carton Packed

Includes—1 1/8" front frames put together; 1 1/8" doors put together; drawers machined ready for assembling; two finished ends; top, bottom, and two shelves for top section; bottom, one shelf and 1 1/8" counter top for base section; drawer slides, shelf cleats, wall strip, and crown mould (not mitered). No backs or hardware included unless specified. Not painted.

Approximate Shipping Weight—230 lbs.

8'-6" high cabinets can be reduced by cutting as much as 4" off top and 4" off recess lugs.

For ceiling sections see page 59. For auxiliary parts see page 60.

	Sizes	Complete Cabinet	Upper Section	Lower Section	Brass N. P. Hardware add	
					Upper	Lower
R-2721	4-6x7-0	\$32.60	\$16.50	\$17.20	\$1.60	\$1.80
	x8-6	34.70	18.60	17.20	1.60	1.80
	5-0x7-0	34.90	17.60	18.40	1.60	1.80
	x8-6	37.20	19.90	18.40	1.60	1.80
R-2724	4-6x7-0	28.70	12.60	17.20	1.60	1.80
	x8-6	31.50	15.40	17.20	1.60	1.80
	5-0x7-0	30.70	13.40	18.40	1.60	1.80
	x8-6	33.70	16.40	18.40	1.60	1.80

Backs (3-ply) add per sq. ft. \$0.12

FREIGHT ALLOWED 150 pounds or more—No crating charges

Economy Kitchen Cabinets


R-2727

Width—4'-6"; 5'-0".
 Height—7'-0"; 8'-6".
 Top (7'-0" hgt.), 4'-1".
 (8'-6" hgt.), 5'-7".


R-2728

Recess (7'-0" hgt.), 1'-1 3/8".
 (8'-6" hgt.), 1'-4".
 Base 2'-11".
 Depth—Top, 1'-1".
 Base, 1'-7".
 C. Top, 1'-8 1/2".

Note—One-panel Doors are used in upper sections of 7'-0" cabinets.
 Sash doors glazed six lights with wood stops.

General Specifications

Clear Pine—Semi-Assembled—Carton Packed

Includes—1 1/8" front frames put together; 1 1/8" doors put together; drawers machined ready for assembling; two finished ends; top, bottom, and two shelves for top section; bottom, one shelf and 1 1/8" counter top for base section; drawer slides, shelf cleats, wall strip, and crown mould (not mitered). No backs or hardware included unless specified. Not painted.

Approximate Shipping Weight—230 lbs.

8'-6" high cabinets can be reduced by cutting as much as 4" off top and 4" off recess lugs.

For ceiling sections see page 59. For auxiliary parts see page 60.

	Sizes	Complete Cabinet	Upper Section	Lower Section	Brass N. P. Hardware add	
					Upper	Lower
R-2727	4-6x7-0	\$34.80	\$16.50	\$19.40	\$1.60	\$1.80
	x8-6	36.90	18.60	19.40	1.60	1.80
	5-0x7-0	36.80	17.60	20.30	1.60	1.80
	x8-6	39.10	19.90	20.30	1.60	1.80
R-2728	4-6x7-0	30.90	12.60	19.40	1.60	1.80
	x8-6	33.70	15.40	19.40	1.60	1.80
	5-0x7-0	32.60	13.40	20.30	1.60	1.80
	x8-6	35.60	16.40	20.30	1.60	1.80

Backs (3-ply) add per sq. ft. \$0.12

FREIGHT ALLOWED 150 pounds or more—No crating charges

Economy Side Units



R-2731

R-2731

Broom Cabinet

Width—1'-9" Overall.

Height—7'-0"; 8'-6".

Depth—1'-4" Overall

Approx. Ship. Wt., 85 lbs.

Specifications

R-2731 and R-2735

Clear Pine, Semi-Assembled, Carton Packed. Includes—1 $\frac{1}{8}$ " front frames put together; 1 $\frac{1}{8}$ " doors except ironing board door on R-2735, 1 $\frac{3}{8}$ "; two finished ends; one top, one bottom, two shelves and crown mould (not mitered). No back or hardware included, except ironing board hardware, unless specified. Not painted.

Note—Top section omitted for 7'-0" heights; for ceilings higher than 8'-6", top sections are made accordingly; 8'-6" cabinets can be reduced as much as 6" in height by cutting off top section.

R-2735

Ironing Board and
Broom Cabinet

Width—1'-9" Overall.

Height—7'-0"; 8'-6"

Depth—1'-4" Overall.

Large door 1 $\frac{3}{8}$ " thick includes patented built-in ironing board, size 12 $\frac{1}{4}$ " x 52", completely assembled with all necessary hardware for ironing board and with high grade $\frac{1}{4}$ " wool pad attached.

Approx. Ship. Wt., 120 lbs.



R-2735

Pine—Semi K. D.—Carton Packed

	Size	7-0	8-6	Brass N. P. Hardware
R-2731	1-9 Wide	\$14.20	\$17.20	\$1.60
R-2735	1-9 Wide	27.00	30.00	1.60

FREIGHT ALLOWED 150 pounds or more—No crating charges

Economy Ceiling Units



R-2741

Width—2'-0".
Height—1'-6"; 2'-0".
Depth—1'-1".
Approx. Ship. Wt.—15 lbs.



R-2742

Width—2'-6"; 3'-0"; 3'-6"; 4'-0".
Height—1'-6"; 2'-0".
Depth—1'-1".
Approx. Ship. Wt.—25 lbs.



R-2743

Width—4'-6"; 5'-0".
Height—1'-6"; 2'-0".
Approx. Ship. Wt.—35 lbs.

Specifications

R-2741, R-2742, R-2743

Clear Pine; Semi-Assembled; Carton Packed.

1 1/8" fronts put together; 1 1/8" doors; two finished ends. No shelves, back or hardware included unless ordered extra. Not painted.


Used with 7'-0" or 8'-6" cabinets. Utilizes otherwise waste space. Also used over windows to connect cabinets on each side.

		1-6 High	2-0 High	Brass N. P. Hardware
R-2741	2-0 Wide	\$2.70	\$3.10	\$0.60
R-2742	2-6 Wide	3.30	3.80	1.05
	3-0 Wide	3.70	4.10	1.05
	3-6 Wide	4.00	4.50	1.05
	4-0 Wide	4.40	4.80	1.05
R-2743	4-6 Wide	5.60	6.20	1.65
	5-0 Wide	6.10	6.80	1.65

	2-0	2-6	3-0	3-6	4-0	4-6	5-0
For Shelves (1) add..	\$0.40	\$0.50	\$0.50	\$0.60	\$0.60	\$0.80	\$0.90
For Backs (3 ply).....					Add per sq. ft.		.12

FREIGHT ALLOWED 150 pounds or more—No crating charges

Economy Auxiliary Parts



R-2751

Flour Bin R-2751

Made of Pine

Fits doors of lower sections of Economy Line.

Size Overall—1'-6" wide, 1'-9" high, 1'-4" deep at top.

Can be reduced in width for narrower doors.

Shipped K. D. All parts properly machined and fitted. Packed one in a dust-proof carton.


Cut illustrates bin attached to door.

Silver Tray R-2753

Made of Pine, except slides which are hardwood.


Size Overall—1'-7½" long, 12½" deep, 3½" high.

Shipped K. D. in a dust-proof carton. All parts accurately machined for easy assembling.



R-2753

Bread Board R-2755



R-2755

Made from ¾" Maple, 1'-6" wide, 1'-5" deep. Cleated on ends to prevent warping. Used with any bottom section of Kitchen Cabinets. Slides to be screwed to counter top are included.

Counter Top R-2758



R-2758


Pine, Maple or Formica Counter Tops can be furnished in widths and suitable lengths for use when Cabinets are installed in combinations. Made in lengths to 12'-0", 1½" thick. Specify length and width when ordering.

Economy Auxiliary Parts

R-2751—Flour Bin, K. D. Pine, Carton Packed	\$3.30
(Adjustable for various size Economy Doors)	
R-2753—Silver Tray—Set-up—Pine—Carton Packed	2.60
(includes Hardwood Slides)	
R-2755—Bread Board—1'-6"x1'-5" Maple	1.80
R-2758—Long Counter Tops—1½" thick—20½" wide:	
PINE Per lineal ft.	.80
MAPLE Per lineal ft.	1.30

FREIGHT ALLOWED 150 pounds or more—No crating charges

Economy Wall Cabinets



R-2761

R-2761

Width—2'-0".
Height—3'-0"; 4'-0".
Depth—1'-1".
Approx. Ship. Wt., 30 lbs.



R-2762

R-2762

Widths—2'-6"; 3'-0".
3'-6"; 4'-0".
Height—3'-0"; 4'-0".
Depth—1'-1".
Approx. Ship. Wt., 40 lbs.



R-2763

R-2763

Widths—4'-6"; 5'-0".
Height—3'-0"; 4'-0".
Depth—1'-1".
Approx. Ship. Wt., 50 lbs.

Specifications—All Designs

Clear Pine—Semi-Assembled—Carton Packed

Includes—1 1/8" front frames put together; 1 1/8" doors glazed (with wood stops); top, bottom and two shelves; two ends; shelf cleats and crown mould (not mitered). No backs or hardware included unless specified. Not painted.

	Carton Packed Width	Height		Brass N. P. Hardware
		3-0	4-0	
R-2761	2-0 glazed	\$ 8.10	\$ 9.50	\$0.60
R-2762	2-6 glazed	10.30	11.90	1.20
	3-0 glazed	11.00	12.60	1.20
	3-6 glazed	11.60	13.20	1.20
	4-0 glazed	12.40	14.10	1.20
R-2763	4-6 glazed	15.50	17.60	1.80
	5-0 glazed	16.60	18.90	1.80

If 3-ply backs are wanted, add per sq. ft. \$0.12

FREIGHT ALLOWED 150 pounds or more—No crating charges

Cabinet Ironing Boards

Recess Type



R-2952

board attached including hardware. Doors as shown, shelves as shown, but no casing; no hardware included for swinging doors. Not painted.

Approximate Shipping Weight—
35 lbs.

Note—Door hardware and casing included at small extra cost.

R-2956

Wall Opening—1'-2" wide
6'-10" high

Inside Depth—3 $\frac{5}{8}$ "

Ironing Board—

11 $\frac{1}{2}$ " wide; 4'-4" long.

R-2956—Recess Type—7 $\frac{7}{8}$ " Board
—No Door Hardware. . . . \$7.00



R-2956

R-2952

Wall Opening—1'-2" wide.
6'-10" high.

Inside Depth—3 $\frac{5}{8}$ ".

Ironing Board—11 $\frac{1}{2}$ " wide; 4'-4" long.

R-2952—Recess Type—

No Door Hardware. . . \$7.50

Specifications

R-2952 and R-2956

Clear Pine; set-up; carton packed.

Includes—Recess cabinet set up, with three-ply back, to fit between 2"x4" studs. Sleeve board and ironing

FREIGHT ALLOWED 150 pounds or more—No crating charges

"On-The-Wall" Ironing Board

Surface Type

R-2960



R-2960 On-The-Wall

Screws on wall directly over plaster. No recess necessary. When closed, supporting panels conceal ironing board.

Material—Clear Pine.

Size Overall—1'-5½" wide, 5'-10" high.

Projection from Wall—1¾".

Ironing Board—12¼" wide, 4'-4" long, ⅞" thick.

Shipped—Set-up complete with six holes drilled in frame so that screws will enter studding 16" on center. All necessary hardware is applied. Six long screws included for attaching to wall. Can be installed at desired height. A high grade ¼" thick wool pad is furnished unless otherwise specified. Not painted or stained.

Packed—One Ironing Board complete in a dust-proof carton.

Approximate Shipping Weight—26 lbs.

Folding Table Unit

To be attached to supporting panels of "On-the-Wall" and "In-the-Door" Ironing Boards.

Material—Clear Maple, ¾" thick.

Size—24"x36" when open.

Consists of two flush paneled sections joined together with brass nickel-plated flush hinges. Not painted or stained. Can be folded to half size and tucked away in any convenient place.

Packed—One Table Unit in dust-proof carton.

Approximate Shipping Weight—10 lbs.

R-2960—Surface Type—¼" Wool Pad
—Door Hardware, incl. . . . \$9.10

Door Hardware for R-2952 or
R-2956. Add .60

4¼" Casing (attached) for
R-2952 and R-2956. . . . Add 1.30


TABLE UNIT (used with
R-2960) Maple. 3.90



Showing Method of
Attaching Table Unit

FREIGHT ALLOWED 150 pounds or more—No crating charges

Breakfast Nooks



R-2563
Specifications
for R-2563 and R-2565

Space Required—5'-4" to 5'-8" wide, 4'-6" deep.

Table—2'-2" wide, 4'-0" long, 2'-6" high.


Seats—1'-6" deep, 4'-6" long, 3'-0" high.

Specifications—Furnished Semi K. D. All parts accurately machined for quick assembling. Table top is glued up and housed for ends. Paneled seat backs are put together. Seat ends are housed to receive seats. Exposed seat ends and table ends are ornamented with a shallow, decorative groove. We furnish all angle irons, screws, table braces, etc., required to set up. Not painted.

Wood—Clear Pine.

Packing—One nook complete in dust-proof carton.

Approximate Shipping Weight—120 lbs.




R-2565

Carton Packed

R-2563—3-0 high back—Semi K. D.	Pine \$17.30
R-2565—3-0 high back—Semi K. D.	17.55

FREIGHT ALLOWED 150 pounds or more—No crating charges

Soda Nook



Soda nook made with breakfast nook R-2563 and panel back R-2567. Can also be made with breakfast nook R-2565. No alterations necessary for installation. R-2568 is used in place of R-2567 when paneled end is exposed.

Divider Panel R-2567

R-2567 is a special panel back with stiles rabbetted on both sides to receive and join seats to make a neat soda nook. Can be used with R-2563 or R-2565.

Made of Clear Pine $1\frac{1}{8}$ " thick. Set up, ready to attach.


Size—4'-7" wide x 4'-6" or 5'-0" high. Neat bead mould all around edge. Not painted or stained. Can be made of various other woods. Packed in cartons as ordered.

Approximate Shipping Weight—4'-6" high, 15 lbs.; 5'-0" high, 20 lbs.



R-2567

End Panel R-2568



R-2568

R-2568 is a special panel back with stiles routed on one side to receive seats of Breakfast Nooks R-2563 or R-2565. Opposite side as illustration shows, to form an exposed end of Soda Nook with panels. Not painted or stained. Packed in cartons as ordered.

Approximate Shipping Weight—4'-6" high, 35 lbs.

R-2567—4-6 high—Set up—One to a carton.....	Pine
R-2568—4-6 high—Set up—One to a carton.....	\$5.70
If divider panels are packed 3 to a carton—deduct each.....	9.30
	.45

FREIGHT ALLOWED 150 pounds or more—No crating charges

Bathroom Cabinets

Glazed with Plate Glass Mirrors


R-3050
R-3050
Venetian Cabinet
Material—Clear Pine

Mirror Size	Rough Opg.
15"x25"	1'-1 1/4"x1'-9 1/2"
17"x28"	1'-3 1/4"x2'-0"

Inside Depth—3 7/8"

Can be used with 2"x4" or deeper studding.

Shipped, Completely Assembled.

Includes—Three adjustable shelves with supports; three-ply panel back.

Wood parts enameled white; mirror and hardware included.

Each packed in dust-proof carton.

Approximate Shipping Weight—37 lbs.

Design	Mirror Size	Glazed Venetian Mirror
R-3050	15x25 17x28	\$17.50 19.50

R-3054
Material—Clear Pine
Plain Birch

Mirror Size	Rough Opening Required
12x18"	1'-6"x2'-0"
14x20"	1'-8"x2'-2"
16x20"	1'-10"x2'-2"

Inside Depth—3 5/8"; can be used with 2x4" or deeper studding.

Specifications—Set up with door fitted. Includes three adjustable shelves with shelf supports and three-ply laminated panel back. No hardware furnished. Not painted or stained.

Packing—Each in a dust-proof carton.

Approximate Shipping Weight—Open, 22 lbs.; glazed, 27 lbs.

R-3054

Design R-3054	Mirror Size	Pine		
		Glazed Pl. Plate Mirror	Glazed Bev. Plate Mirror	Brass N. P. Hardware Add
	12x18	\$7.00	\$ 8.50	\$ 0.60
	14x20	7.95	9.50	.60
	16x20	8.75	10.50	.60
		Plain Birch		
	16x20	\$10.10	\$11.20	\$0.60

FREIGHT ALLOWED 150 pounds or more—No crating charges

Bathroom Cabinets

Glazed with Plate Glass Mirrors

R-3056

Is Cabinet R-3054 with Cap and Wings



R-3056

Material—Clear Pine.

Size of Wings—10" wide; 26 1/2" high.

Mirror Size—6"x16" Pl. Plate.

Size of Cap—21 1/2" wide x 4 1/2" high.

Includes—Medicine cabinet R-3054, two wings and cap. No hardware included unless specified.

Not painted.

Packed one set in dust-proof carton.

Approximate Shipping Weight of Cap and Wings—Open, 10 lbs.; glazed, 14 lbs.

Design R-3056	Mirror Size	Glazed Pl. Plate Mirror	Glazed Bev. Plate Mirror	Brass N. P. Hardware Add
	12x18	\$12.00	\$14.35	\$1.20
	14x20	13.15	15.60	1.20
	16x20	13.95	16.50	1.20

Cabinet R-3067

Material—Clear Pine.

Mirror Size	Rough Opening Required
12x16"	1'- 6"x1'-10"
14x18"	1'- 8"x2'- 0"

Inside Depth—3 5/8"; can be used with 2x4" or deeper studs.

Specifications—Set up with door fitted, three adjustable shelves with supports, three-ply panel back. No hardware included. Not painted.

Packing—Each packed in a dust-proof carton.

Approximate Shipping Weight—Open, 18 lbs.; glazed, 24 lbs.




R-3067

Design R-3067	Mirror Size	Glazed Pl. Plate Mirror	Glazed Bev. Plate Mirror	Brass N. P. Hardware Add
	12x16	\$6.00	\$7.50	\$.60
	14x18	7.25	8.75	.60

FREIGHT ALLOWED 150 pounds or more—No crating charges

Corner Cases



Plan of R-2463

R-2463

Size—2'-8"x7'-1" overall. Inside 1'-0" deep.

Space Required—Made to place in open corner but can be set in plastered recess if desired, requiring opening 2'-0"x6'-10".

Specifications

Shipped Semi-K. D. Front and doors assembled. Doors fitted. Top door glazed clear glass with wood stops. Three moulded edge shelves with supports in top, one plain shelf in bottom. No hardware. Not painted.

Woods—Pine and Birch.

Packing—One complete case in dust proof carton.

Approximate Shipping Weight—Pine, 110 lbs.; Birch, 110 lbs.



R-2463

		Pine	
		Semi K. D.	Set Up
R-2463	Glazed	\$36.00	\$46.00
		Birch	
		Semi K. D.	Set Up
R-2463	Glazed	\$46.60	\$58.55

Brass N. P. Hardware Add \$3.60

R-2452

Size—3'-8"x8'-1" overall. Inside depth, 4".

Space Required—Made to place in open corner. Can be set in plastered recess if desired, requiring opening 2'-8"x7'-2".

Specifications—Shipped Semi-Assembled.


Includes—Front and doors put together. Doors fitted. Top door glazed clear glass with wood stops, 3/8" matched and beaded back. Four moulded edge shelves with supports in top, one plain shelf in bottom. No hardware included unless specified. Not painted.

Woods—Clear Pine and Unselected Birch.

Other woods made to order.

Packing—One complete case in dust proof carton.

Approximate Shipping Weight—Pine, 200 lbs.; Birch, 220 lbs.



R-2452

		Pine		Pl. Birch		Brass N. P. Hardware Add
		Semi K. D.	Set Up	Semi K. D.	Set Up	
R-2452	Glazed	\$51.00	\$61.00	\$67.00	\$76.50	\$3.60

FREIGHT ALLOWED 150 pounds or more—No crating charges

Linen Cases



R-3097

R-3097

Drawer Chests

Semi-Assembled

Clear Pine

Width Overall—2'-6".

Other widths made to order.

Height—2'-11" Overall.

Depth—1'-7" Overall.

Made to fit in recess. Can also be used in pantries or in combination with Economy Kitchen Cabinets.

Includes—1 $\frac{1}{8}$ " front put together; 2 skeleton ends with drawer slides, put together; 5 drawers, machined ready to assemble; 1 $\frac{1}{8}$ " counter top; 2 back wall strips and one double center slide. No back or hardware included unless specified. Not painted.

Approximate Shipping Weight—52 lbs.

Brass N. P. Hardware Add \$1.20

R-3097—2'-6"x2'-11"—No Hardware—Carton Packed \$11.00

R-3098

Semi-Assembled

Clear Pine

Width—2'-6"; other sizes made to order.

Height—6'-10" (overall) lines with 6'-8" doors when trimmed.

Depth—1'-7" Overall.

Rough Opg. Required—2'-6 $\frac{1}{2}$ "x6'-10 $\frac{1}{2}$ "x1'-7 $\frac{1}{4}$ ".

Includes:

Drawer Section—Same as R-3097.

Upper Section—1 $\frac{1}{8}$ " front put together; 1 pair 1 $\frac{1}{8}$ " paneled doors; 3 shelves and shelf cleats. No ends, back, hardware or room trim included unless specified. Not painted.

Each in dust-proof carton.

Approximate Shipping Weight—97 lbs.



R-3098

Brass N. P. Hardware Add \$2.40


R-3098—2'-6"x6'-10"—No Hardware—Carton Packed \$18.20

FREIGHT ALLOWED 150 pounds or more—No crating charges

Telephone Cabinets



R-1970



R-1970

Wall Opening—1'-2"x2'-10".

Overall Size—1'-5½"x3'-1".
Made to fit between 2"x4" studs
16" on centers.

Shelf—7½" deep.

Made from clear Pine or Un-
selected Birch, set up with back.
Return mould and shelf loose.
Removable grille panel in bottom
conceals bell box. Not painted.
Packed each in a dust-proof
carton.

Approximate Shipping Weight—Pine 20 lbs.; Birch 22 lbs.

	Pine	Pl. Birch
R-1970—Set up.....	\$5.30	\$8.80

R-1972

Fits on the Wall—No Recess Necessary

Simply attach to wall with screws directly over plaster

Size Overall—1'-5"x2'-9¾".

Shelf Projection—10".


Book Compartment—12¾" wide,
2¾" high, 10" deep inside.

Wood—Clear Pine. Can also be supplied
in various other woods.

How Shipped—Set up complete. Panel
in bottom to conceal Bell Box is removable.
Top ornament furnished loose to conceal
top screw hole.

Packing—Two in a dust-proof carton.
Can be had singly in dust-proof carton.

Approximate Shipping Weight—Per
carton of two, 30 lbs.



R-1972

	Pine
R-1972—Set up—One in a carton, each.....	\$4.75

FREIGHT ALLOWED 150 pounds or more—No crating charges

Telephone Cabinets

R-1965

Specifications

Made to Fit Between 2"x4" Studding—16" on centers. Removable panel in R-1965 conceals bell box.

Wall Opening—1'-2"x2'-6½":

Overall Size—1'-5½"x2'-9½".

Depth of Shelf—7½".

Woods—Clear Pine.

How Shipped—Set up complete with curved back. Shelf and return moulding shipped loose. Not painted.

Packing—Each in dust-proof carton.

Each.....\$7.50



R-1965

Divider Cabinets

See Page 71

R-2055

Body Size—2'-4" wide, 11" deep. Height 4'-9" when used with room base; 4'-4" high when lugs are cut off and base omitted.

Woods—Clear Pine. Can be made to order in various other woods.

Construction—Furnished Semi K. D., door, front, sides and back put together. Back and ends are paneled so that any side may be exposed to view. Door glazed clear glass set with wood stops. Top with mould, bottom and three adjustable shelves with supports supplied. No hardware or room trim included. Not painted.

Packing—Each cabinet packed in dust-proof carton.



R-2055

Approximate Shipping Weight—70 lbs.

Brass N. P. Hardware add \$0.90

Pine

R-2055—Semi-K. D.—Glazed.....	\$15.00
R-2055—Set up—Glazed.....	19.50

Semi-K. D., carton packed. Set up, specially crated.

FREIGHT ALLOWED 150 pounds or more—No crating charges

Sash Extras

	List
O. G. Lugs for 1 $\frac{3}{8}$ Windows Add per Pair.....	\$0.21
O. G. Lugs for 1 $\frac{1}{4}$ Windows Add per Pair.....	.30
Rabbetting Bottom Rails, Add per Sash.....	.23
Sash Rabbetted in Pairs, Add per Pair.....	.21
Water Drips Grooved in and Attached, Add per Sash.....	.74
Half Windows Use One-Half the Window List Open or Glazed and Add per Sash.....	.21

Cottage Style Windows

Add Together One-Half the List of Window of the Same Width Containing the Same Glass Size for Both Top and Bottom Sash and Add per Window..... .21

Divided Lights

	Open	Glazed
Vertical Lights 1 $\frac{3}{8}$, Add per Light.....	\$0.12	\$0.12
Rectangular Lights 1 $\frac{3}{8}$, Add per Light.....	.08	.08
Vertical Lights 1 $\frac{1}{4}$, Add per Light.....	.14	.14
Rectangular Lights 1 $\frac{1}{4}$, Add per Light.....	.09	.10

Florentine Glazing

Add to S. S. Price per Square Foot..... .23

Special or Odd Sizes

Smaller Than Listed or Intermediate Sizes, Add to Next Larger Listed Size Open or Glazed..... .33 $\frac{1}{2}$

Extras for Re-Working Stock Doors

	Softwood	Hardwood
Rip Bottom and or Top Rail to Reduce Height.....	\$0.68	\$0.68
Remove Panels to Make 1 Light with Stops.....	1.26	1.70
Lower Top Rail on Sash Doors.....	1.70	2.54
Lower Top Rail or Raise Bottom Rail on 2 Regular Panel Doors.....	1.70	2.54
Lower Top Rail or Raise Bottom Rail on 2 Vertical Panel Doors.....	2.00	2.88
Lower Top Rail or Raise Bottom Rail on 1 Panel Doors...	1.70	2.54
Lower Top Rail or Raise Bottom Rail on De Luxe Doors...	3.90	4.90
Rework to Reduce Width on 2 Regular Panel Doors....	2.54	2.88
Rework to Reduce Width on 2 Vertical Panel Doors....	2.00	2.54
Rework to Reduce Width on 1 Panel Doors.....	2.00	2.54
Rework to Reduce Width on De Luxe Panel Doors.....	3.90	4.90

Preparing Door for Flush Mirror (Open, no Mirror included but Glass Stops are included)

On 2 Regular Panel Doors.....	\$2.12	\$2.54
On 2 Vertical Panel Doors.....	2.12	2.54
On 1 Panel Doors.....	1.70	2.00
On De Luxe Panel Doors.....	3.39	3.68
Planted Mirror Moulding and Stops (Any Type Door)..	2.12	2.54

Divided Lights (including Stops)

	Softwood		Hardwood	
	1 $\frac{3}{8}$ "	1 $\frac{1}{4}$ "	1 $\frac{3}{8}$ "	1 $\frac{1}{4}$ "
Rectangular Lights.....	\$0.51	\$0.68	\$0.68	\$0.90
Vertical Lights in Part Panel and Part 1 Light Doors.....	.68	.84	.90	1.20
Vertical Lights in 1 Light Doors.....	.84	1.02	1.06	1.35

— NOTICE —

WE HAVE IN STOCK


"CROSSETT OAK FLOORING"

"FOSTER-LATIMER MAPLE FLOORING"

SEE CURRENT PRICE FOLDER

**FIR PANEL AND
WALLBOARD**

SEE OUR PANEL PRICE LIST



Everybody is a prospect for Micklin Corner Braces. Carpenters, building superintendents, sign painters and householders provide a ready market. They simplify repair problems.

**MICKLIN
CORNER BRACES**

**Specially Designed for
Repair Work**

This new improved sheet steel outside corner brace is especially adaptable for repair work. For reinforcing the corners of wooden screen frames, it is unsurpassed. Dealers everywhere are finding a year 'round demand for this durable, easily attached corner brace.

DEALER'S LIST PRICES

Corner Braces, per doz. sets . . . \$1.80
Can be used for thickness up to 1 1/8".

Dual Corners	7/8	} Per Doz. Sets	\$3.00
	1 1/8		
	1 1/8		

ALL ABOVE ITEMS ARE F. O. B. CHICAGO

ROBERTS SASH & DOOR COMPANY
908-934 WEST CULLERTON STREET
CHICAGO

ROBERTS



Qualitybilt
WOODWORK
REGISTERED

WINDOWS AND SASH

INTERIOR DOORS

EXTERIOR DOORS

STORE AND MIRROR DOORS

GARAGE DOORS

SCREEN DOORS

PORCH WORK

MOULDING • TRIM

ROBERTS SASH & DOOR CO.
908-974 WEST CULLERTON ST.
CHICAGO

